CITY OF RIVERSIDE COUNCIL MEETING AGENDA RIVERSIDE CITY HALL COUNCIL CHAMBERS 60 N GREENE STREET

REGULAR MEETING Monday, July 1, 2019 – 6:30 P.M.

NOTICE TO THE PUBLIC: This is a meeting of the City Council to conduct the regular business of the City. Every item on the agenda is an item of discussion and action if needed.

- 1. Call meeting to order
- 2. Approval of agenda
- 3. Consent agenda
 - a. Minutes from June 17, 2019
 - b. Expenditures for July 1, 2019
 - c. Alcohol permit: Copper Creek Ridge
- 4. Public forum. 3 minutes per person. See guidelines for public comments at the Clerk's table.
- 5. PeopleService May report Bill Stukey pg. 5
 - a. Ferguson upgrade pg. 20
 - b. Bulk water discussion
- 6. Project updates
 - a. Downtown project
 - i. Resolution 070119-01; Final Acceptance of Project pg. 22
 - ii. Resolution 070119-02; Final Pay Request #11 pg.24
 - b. Tupelo Blvd project
 - c. Northern Heights
 - i. Request to add lots and infrastructure to phase I of development pg. 29
 - d. Hwy 22 project
 - i. Resolution 070119-03; Pay Request # 6 Triple B pg. 32
- 7. W61 bridge repairs pg. 35
- 8. County communications tower location pg. 38
- 9. Resolution 070119-04; FY 19 funds transfer pg. 41
- 10. Resolution 070119-05; FY 20 funds transfer pg. 43
- 11. Mayor's report
- 12. City Council comments
- 13. Closed session per Iowa Code 21.5 (1)(j) real estate pg. 45
- 14. Motion to adjourn

RIVERSIDE CITY COUNCIL MEETING: June 17, 2019

The Riverside City Council meeting opened at 6:30 pm in City Hall with Mayor Allen Schneider requesting roll call. Council members present were: Tom Sexton, Andy Rodgers, Bob Schneider Jr., Edgar McGuire, and Jeanine Redlinger.

Motion by Schneider to approve the agenda, Second by Sexton, passed 5-0.

Rodgers moved to approve the minutes of June 3^{rd} , 8^{th} , 10^{th} , and expenditures. Second by McGuire, passed 5-0.

McGuire moved to approve tobacco permits for Casey's, Kum & Go, Riverside Casino, and Riverside Travel Mart. Second by Rodgers, passed 4-1 Redlinger opposed.

Council received May Fire Department report.

Chris Kirkwood addressed Council on conditions of sod on Schnoebelen Street.

Phil Richman told Council of problem with mail delivery on HWY 22 due to street project.

Cydney Lovell, ITC Midwest, explained transmission line rebuild from Riverside to Kalona.

Schneider moved to pass second reading and waive 3rd reading of Resolution 060319-03; to declare necessity and establish an Urban Renewal Area, Pursuant to Iowa Code Section 403.4 and approve Urban Renewal Plan and project for the Northern Heights Housing Urban Renewal Area. Second by Redlinger, passed 5-0.

Resolution 061719-01 tabled for development agreement addendum.

Scott Pottorff, MMS Consultants, updated council on street projects.

Downtown Streetscape project is completing punch list. Final acceptance will be on the next meeting.

Tupelo street project will not start before TrekFest, as it is on the route for the 5k run.

Pottorff is reviewing the final plans for the additional lots in the Northern Heights Housing Development.

Hwy 22 project signal lights are up. The signal may go to flaggers after storm water work is done.

Schneider moved to pass Resolution 061719-02; Approving employee agreement with Christine Yancey for City Administrator at an annual base salary of \$71,000. Second by Redlinger, passed 4-1 Sexton opposed. Yancey will begin employment on 7-1-19.

Bob Yoder, Washington County Supervisor, presented bid from Relo Hauling and Demo for rehabilitation of Hall Park boat ramp. Council will have a work session in July to discuss funding, grants, and scope of project.

Redlinger moved to enter into Closed Session, pursuant to Iowa Code 21.5 (1)(i) employee evaluations at 8:20 PM. Second by Rodgers, passed 5-0

Sexton moved to return to open meeting at 9:44 PM. Second by Redlinger, passed 5-0.

Redlinger moved to pass Resolution 061718-03; Employee increases effective 7-1-19. City Clerk-LaRoche \$21.00 to \$22.00, Streets & Parks - Lenz \$20.25 to \$21.00, Building Inspector/Maintenance - Stuelke \$19.00 to \$19.75, Part time maintenance Mullinnix - \$12.25 to \$12.75, Temporary Deputy Clerk - Chalupa \$16.00 to \$16.50. Second by Schneider, passed 4-1 Sexton opposed.

Redlinger moved to adjourn at 10:05 p.m. Second by Rodgers, passed 5-0.

Full content of Council Meetings can be viewed on the City web site; www.cityofriversideiowa.com

P & Z Meeting – Monday, June 24, 2019 at 6:00 p.m.

Council Meeting - Monday, July 1, 2019 at 6:30 p.m.

Becky LaRoche; City Clerk

Allen Schneider; Mayor

_						7	
	EXPENDITURES JULY 1, 2019						
	COUNCIL MEETING					507	
1		PARKS	001-5-430-6371	\$	610.71		
2		SEWER	610-5-815-6371	\$	1,703.54		
3		CITY HALL	001-5-650-6371	\$	296.79	_	
4	1ST CLASS APPAREL, INC	UNIFORMS	001-5-210-6181	\$	156.24	_	
5	ACTION SEWER	CONSERVATION PARK '	001-5-430-6320	\$	302.60		
6	ALLIANT ENERGY	WATER	600-5-810-6371	\$	105.41		
7	ALLIANT ENERGY	STREET LIGHTS	001-5-230-6371	\$	1,500.84		
8	ALLIANT ENERGY	FIRE STATION	001-5-150-6330	\$	395.53	\$	2,757.41
9	BECKY LaROCHE	JULY CELL	001-5-650-6373	\$	50.00		
10	Water and the second se	JUNE MILEAGE	001-5-650-6240	\$	126.44	\$	176.44
11		JULY CELL	001-5-430-6373	\$	50.00		
12		PARK FUEL	001-5-430-6320	\$	393.95		
13	ENGLISH RIVER WATERSHED	FY 20 CONTRIBUTION	001-5-520-6425	\$	7,500.00		
14	IOWA ONE CALL	LOCATES	600-5-810-6507	\$	35.20		
15	IOWA SOLUTIONS	E-MAIL HOSTING	001-5-650-6497	\$	32.50		
16	IOWA SOLUTIONS	DOMAIN ANNUAL FEE	001-5-650-6497	\$	167.50	\$	200.00
17	JAY STUELKE	JULY CELL	001-5-210-6373	\$	50.00		
18	JIMS SMALL ENGINE	PARKS	001-5-430-6325	\$	32.90		
19	KUENSTER PLUMBING	SHOP AC	001-5-210-6371	\$	75.00		
20		40 E 2ND STREET	001-5-430-6325	\$	97.90	\$	172.90
21		PARKING STRIPES	110-5-210-6417	\$	3,935.86		
22	MEARDON, SUEPPEL & DOWNER	LEGAL	001-5-640-6411	\$	920.75		
23	MEDIACOM	CITY HALL	001-5-150-6332	\$	181.05		
24		SHOP	001-5-210-6371	\$	26.55		
25	MID AMERICAN ENERGY	RVFD	001-5-150-6371	\$	24.39	-	
26	MID AMERICAN ENERGY	CITY HALL	001-5-650-6371	\$	13.91	\$	64.85
27	NEAPOLIITAN LABS	WEBSITE DESIGN	001-5-650-6494	\$	2,500.00	1	0 1.00
28		W61 BRIDGE APPROACH TEST	110-5-210-6417	\$	1,000.00		
29	PEOPLE SERVICES	JUNE SERVICE	610-5-815-6500	\$	11,214.00		
30		JUNE SERVICE	600-5-800-6500	\$	11,214.00	\$	22,428.00
31	PSC DIST.	PARKS	001-5-430-6325	\$	122.07	Ψ	22,420.00
32	RIVERSIDE HISTORY CENTER	BALANCE OF FY19 GRANT	145-5-650-6413	\$	2,677.95		
33		RVFD GEAR	001-5-150-6356	\$	109.80		
					431.96	<u> </u>	
34 35		MOWER PARTS DOWNTOWN SOUND SYSTEM	600-5-810-6320	\$			
30	SOUND CONCEPTS	DOWNTOWN SOUND SYSTEM	301-5-750-6778	\$	15,923.20	_	
				\$	63,978.54		
	APPIL FOM DAVADUSO						
0.0	APRIL EOM PAYABLES	11117/2017/2019		•	110 ===		
36		JULY BILLING	004 5 450 00-0	\$	112.52		
37	The state of the s	RVFD - MAY	001-5-150-6352	\$	56.38		
38		JULY BILLING	004 5 450 0055	\$	179.14		
39		RVFD - MAY	001-5-150-6332	\$	181.05		
	US CELLULAR	RFVD-MAY	001-5-150-6332	\$	133.95		
41	VERIZON	MAY SERVICE		\$	63.54		
42	The state of the s	JULY BILLING		\$	2,929.62		
43	WINDSTREAM	MAY BILLING		\$	552.24	\$	4,208.44
		TOTAL PAID BILLS		\$	68,186.98	-	
		TOTAL EXPENDITURES					

Becky

From:

Licensing@lowaABD.com

Sent:

Thursday, June 27, 2019 1:33 AM

To: Cc: becky@cityofriversideiowa.com Licensing@lowaABD.com

Subject:

Liquor License Submitted to Local Authority

Insurance coverage/bond certification has been completed for the following application(s). The application(s) is awaiting local authority review. After local authority approval, the application will be submitted to the Iowa Alcoholic Beverages Division for review.

License License Status

Business Name

Submitted to Local Authority Copper Creek Ridge (1182 Commercial Drive Riverside Iowa, 52327)

Please do not respond to this email.

To check the status of your application follow these steps:

- 1. Click https://elicensing.iowaabd.com
- 2. Log in to your eLicensing account
- 3. After reading the 'Beginning April 1st' statement, click ok
- 4. Click the View Completed Applications link to see your status



Date: June 11, 2019

To: Riverside Council

From: Bill Stukey, Operator

O & M Report: May 2019

Water Operation & Maintenance

- > We completed the last of the water main tie-ins for the current highway project. During this we learned one of the valves in the system on Sycamore St doesn't fully close. We are planning on replacing this valve later in the season.
- New meter was installed at the coffee shop downtown. The original meter was never changed out during the meter replacement project.
- 11 loads of rock were hauled to the well 8 road and spread out. This has covered the surface but will still need more rock. Rain had delayed finishing this project and we are anticipating being completed by end of June.
- > 35 regular locates and 2 emergency locates completed for May.
- > 8 door postings for waster disconnects were completed, no shut offs.

Wastewater Operation & Maintenance

- All Omnisites have been upgraded to 4G network. Due to Verizon discontinuing 3G services we had to upgrade.
- We inspected a sewer repair at 131 W 1st St. The private sewer line was plugged and unable to be opened. Boyse Dozing dug the sewer line for the homeowner when we discovered that there was Orangeburg sewer pipe that was collapsing and a section of PVC that had been installed during last year's wastewater main project. The joints attaching the PVC to the original pipe had failed causing a partial blockage. The rest of the pipe was in poor shape going towards the road and was collapsing in on itself and would most likely fail in the near future.

Discover The Power Of People

www.peopleservice.com





➤ I was called out to lift station 1 at 10 PM on 5-29-16 for high level alarm. The pumps were running but at full capacity due to heavy rains and storms. I worked through most of the night checking on the lift stations to make sure everything was working and to avoid a bypass.

Discover The Power Of People


www.peopleservice.com











Cont	ract True-Ups - Curre	nt Contract Year		
Item	Budgeted Amount	Amount Spent	% of Budget	% of Time
Chemical Budget	\$25,117.00	\$11,516.43	46%	92%
Maintenance Budget	\$20,931.00	\$15,495.36	74%	92%
Total	\$46,048.00	\$27,011.79	59%	92%





People Service INC. Water & Wastewater Professionals

	or or yvasteva		Amuel 40	Billion d D
10/24-4	Liette	May-19	April-19	May-18
Water	Units	4 226 000	4,215,000	5,169,000
Total Monthly Pumped	gallons	4,226,000		
Average Daily Pumped	gallons	136,320	140,500	166,740
Maximum Daily Pumped	gallons	244,000	283,000	267,000
Minimum Daily Pumped	gallons	100,000	87,000	113,000
Chlorine	SALTE COMMENSAGE	2.04	4 54	4.70
Chlorine - Total Avg Residual Plant	mg/L	2.21	1.51	1.76
Chlorine - Total Avg Residual System	mg/L	1.43	1.06	1.60
Chlorine - Recommended Residual System	mg/L	0.30	0.30	0.30
Chlorine used	lbs	132.00	143.00	211.00
Iron				
Iron - Avg Raw	mg/L	1.63	1.69	2.16
Polyphosphate				
Polyphosphate - Avg Residual	mg/L	1.45	1.50	1.22
Polyphosphate - Recommended Residual	mg/L	0.5 - 2.0	0.5 - 2.0	0.5 - 2.0
Polyphosphate used	lbs	19.50	19.50	17.50
Water Loss				
Water Billed	gallons	0	3,217,079	4,002,219
Water used in main breaks/hydrant flushin	gallons	0	300,000	80,000
Water used at city buildings	gallons	0	90,648	10,000
Loss	gallons	100%	14%	21%
Wastewater	World Street		The second second	
BOD				
BOD Influent Avg	mg/L	150	419	557
BOD Effluent Avg	mg/L	1	0.0	1
BOD Eff Permit Limit - 30 Day Avg	mg/L	25	25	25
BOD % Removal	%	99.00%	100.00%	99.91%
BOD % Removal Permit Limit	%	85%	85%	85%
TSS				
TSS Influent Avg	mg/L	89	349	351
TSS Effluent Avg	mg/L	1	1	5
TSS Effluent Permit Limit - 30 Day Avg	mg/L	30	30	30
TSS % Removal	%	99.00%	99.71%	98.57%
TSS % Removal Permit Limit	%	85%	85%	85%
Nitrogen Ammonia				
NA Effluent Avg	mg/L	0	0	0
NA Effluent Permit Limit - 30 Day Avg	mg/L	6	8	6
Influent Flow				
Total Monthly	gallons	19,943,100	6,990,500	5,164,800
Average Daily	gallons	643,325	233,016	166,606
Maximum Daily	gallons	1,388,000	760,100	275,700
Minimum Daily	gallons	254,000	168,700	124,800
Permit Limit - 30 Day Avg	gallons	444,000	444,000	444,000
Permit Limit - Daily Maximum	gallons	1,425,000	1,425,000	1,425,000
· ······ — ······ point indication	3	.,,	.,,	







Water Plant Maintenance

<u>Date</u>	<u>Vendor List</u>	<u>Description</u>	<u>Total</u>
		Total	\$0.00
	Water Sy	stem Maintenance	
<u>Date</u>	<u>Vendor List</u>	<u>Description</u>	<u>Total</u>
5/9/19 5/22/19 5/30/19	USA Bluebook First National Bank, VISA Barco	Wrench, Settlemeter Supplies Marking Paint	\$39.28 \$18.83 \$155.35
		Total	\$213.46
	Wastewate	r Plant Maintenance	
<u>Date</u>	<u>Vendor List</u>	<u>Description</u>	<u>Total</u>
5/9/19 5/22/19	USA bluebook First National Bank, VISA	Wrench, Settlemeter Motor for Air Compressor, Supplies	\$107.91 \$315.53
		Total	\$423.44
	Wastewater	System Maintenance	
Date	<u>Vendor List</u>	<u>Description</u>	<u>Total</u>
5/22/19 5/30/19	First National Bank, VISA Barco	Supplies Marking Paint	\$57.81 \$155.36
		Total	\$213.17
	Water Plant Maintenance Water System Maintenance W/W Plant Maintenance W/W System Maintenance Month Total	\$0.00 \$213.46 \$423.44 \$213.17 \$850.07	
	Annual Maintenance Budget	\$20,931.00	
	Total Maintenance Dollars	\$15,495.36	

Discover The Power Of People

www.peopleservice.com



Spent Year to Date

Percent Maintenance Budget Spent Year to Date 74%



RIVERSIDE - MAY '19

Water System Chemicals

<u>Date</u>	<u>Vendor List</u>	<u>Description</u>	<u>Total</u>
5/8/19 5/8/19	Hawkins Hawkins	Sodium Hypochlorite Polyphosphate	\$562.50 \$345.90
		Total	\$908.40
	Wastewater System	Chemicals	
<u>Date</u>	<u>Vendor List</u>	<u>Description</u>	<u>Total</u>
		Total	\$0.00
	Water System Chemicals W/W System Chemicals Month Total	\$908.40 \$0.00 \$908.40	
	Annual Chemical Budget	\$25,117.00	
	Total Chemical Dollars Spent Year to Date	\$11,516.43	
	Percent Chemical Budget Spent Year to Date	46%	
	Maintenance Month Total Chemical Month Total Month Total	\$850.07 \$908.40 \$1,758.47	
	Annual Budget	\$46,048.00	
	Total Spent Year to Date	\$27,011.79	
	Percent Budget Spent	59%	



Year to Date





Completed Work Order List Report

Completed	Equipment Name	Task	WO#
5/1/2019	6310-HTR	PREVENTATIVE MAINTENANCE	16678
5/3/2019	6310-HIGH SERVICE PUMPS 1,2,3,4	MONTHLY PREVENTATIVE MAINTENANCE	16679
5/3/2019	6310-GEN	MONTHLY PREVENTATIVE MAINTENANCE	16680
5/3/2019	6310-FE	MONTHLY PREVENTATIVE MAINTENANCE	16681
5/3/2019	6310-DEH	MONTHLY PREVENTATIVE MAINTENANCE	16682
5/1/2019	6310-CARTRIDGE FILTERS 1,2,3	MONTHLY PREVENTATIVE MAINTENANCE	16683
5/1/2019	6310-BUG FILTER 1 & 2	MONTHLY PREVENTATIVE MAINTENANCE	16684
5/6/2019	5310-UV	MONTHLY PREVENTATIVE MAINTENANCE	16698
5/3/2019	5310-SCREEN	MONTHLY PREVENTATIVE MAINTENANCE	16699
5/3/2019	5310-SAMP-INF	MONTHLY PREVENTATIVE MAINTENANCE	16700
5/3/2019	5310-SAMP-EFF	MONTHLY PREVENTATIVE MAINTENANCE	16701
5/6/2019	5310-LS-MAIN	MONTHLY-PM	16703
5/1/2019	5310-LS-5	MONTHLY-PM	16702
5/1/2019	5310-LS-4	MONTHLY-PM	16702
5/1/2019	5310-LS-3	MONTHLY-PM	16702
5/1/2019	5310-LS-2	MONTHLY-PM	16702
5/1/2019	5310-LS-1	MONTHLY-PM	16702
5/3/2019	5310-GEN	MONTHLY PREVENTATIVE MAINTENANCE	16704
5/3/2019	5310-FE	MONTHLY PREVENTATIVE MAINTENANCE	16705
5/3/2019	5310-BLOWERS 1,2,3	MONTHLY PREVENTATIVE MAINTENANCE	16706





IOWA DEPARTMENT OF NATURAL RESOURCES

GOVERNOR KIM REYNOLDS LT. GOVERNOR ADAM GREGG

ACTING DIRECTOR BRUCE TRAUTMAN

May 22, 2019

City of Riverside PO Box 188 Farmington, IA 52327

Letter of Non-Compliance: Discharge Monitoring Reports-On Time, 567 IAC 63.7(455B)

Permit Limits, 567 IAC 64.3(1)(455B)

SUBJECT: Wastewater Inspection Report - Facility #6-9260001 (Riverside)

City Officials:

Enclosed for your review is one copy of the inspection report completed as a result of my recent inspection for the facility mentioned above. We believe you will find the inspection report self-explanatory. Please note the summary of requirements listed at the end of the report. A copy of this report is being forwarded to your wastewater operator, Bill Stukey.

The inspection report and a review of the monthly operation reports submitted to the DNR indicate that three of the operation reports were received late. This is non-compliant with rule 567 IAC 63.7(455B).

The inspection report and a review of the discharge monitoring reports submitted to the DNR indicate that your facility exceeded the effluent limitations of TSS, PH, DO, and e-coli. This is non-compliant with subrule 567 IAC 64.3(1)(455B).

If you have questions about the report or this letter, please contact me at 319/653-2135.

Sincerely,

FIELD SERVICES & COMPLIANCE BUREAU

Josh Sobaski

Environmental Specialist

NJS: SHARED\JSOBASK\Chapter17ComplianceWW\Riverside2019CoverLetter.DOC

Encl. Inspection Report

xc: DNR Records Section, DNR, Des Moines Bill Stukey, WW Operator, PO Box 299, Riverside, IA 52327 File – Riverside Municipal WW File (9260001)



Phone: 319-653-2135

Fax: 319-653-2856

COUNCIL PACKET Iowa Department of Natural Resources Wastewater Treatment Facility Inspection Form

Page 1

	FACILITY INFORMATION
Facility:	Name: Riverside STP Plant Grade: III
	Responsible Authority/Owner: City of Riverside
	Address: PO Box 188 · Phone: 319-648-3501
	City: Riverside . State: IA Zip: 52327
Responsible Operator:	Name: Bill Stukey Grade: 3 Certification Name: 9642
General Description:	Discharge from a sequencing batch reactor (SBR).
Design Capacity:	Average MGD:6540 Maximum MGD:1.4250
	Pounds BOD/Day: 1455 PE (BOD): 8713
Now Treating:	Average MGD: _~.2135 Maximum MGD: _~1.07
	Pounds BOD/Day: <u>439</u> PE (BOD): <u>2634</u>
Decelulas	Period Reviewed: 4/2016-2/2019 Population Served: > = ~1000
Receiving Stream:	Unnamed Wetland to the English River
	INSPECTION INFORMATION
Inspection:	Date and Time of Inspection: 4/30/19 @ ~ 1345 Purpose: Compliance Evaluation Insp.
_	Date of Last Inspection: 4/26/16
Persons Interviewed:	Name: Bill Stukey Title: Operator, People Service Inc.
•	Name: Title:
	NPDES PERMIT COMPLIANCE SUMMARY
Self- Monitoring: Effluent	Operation Reports Submitted: Required Data on Reports: Testing Adequacy: ☐ Sat. ☐ Marg.* ☐ Unsat.* ☐ Sat. ☐ Marg.* ☐ Unsat.* ☐ Sat. ☐ Marg.* ☐ Unsat.* Self-Monitoring Results: ☐ Compliance ☐ Infrequent Non-Compliance* ☐ Significant Non Compliance*
Limitations: Samples this	Results:
Inspection:	Type: None Lab Data Attached? Yes No Sat. Marg.* Unsat.*
	Visual Appearance of Effluent: NA
Compliance Schedule:	Visual Appearance of Receiving Stream: Turbid Compliance w/Schedule: ☐ Sat. ☐ Marg.* ☐ Unsat.* ☒ NA Next Item Due:
* Additional details	Date Due:in the narrative report
	AUTHENTICATION,
Inspector:	Name & Title: Josh Sobaski - ES Josh Sobaski - ES Date: 5/22/19 Name & Terry Jones - ES Senior Lewy Date: 5-28-2019

COUNCIL PACKET Iowa Department of Natural Resources Wastewater Treatment Facility Inspection Form

Facility Name: City of Riverside			:	Pa	ige 2
NPDES Permit #: 9260001			Inspection Date: _4	/30/19	
	FACIL	ITY E	VALUATION		44
Were deficiencies noted or significant observation	s made du	ring the	e inspection?		
Yes = See Comments Section for detail					
No = No deficiencies or significant obse	rvations w	ere not	ed		
Lack of Entry = Item not applicable or no					
Item	Yes	No	Item	Yes	No
1. Collection System			9. Sludge Handling and Disposal		
a. Operation and Maintenance			a. Operation and Maintenance	\boxtimes	
b. Physical Condition			b. Physical Condition		
c. Dry Weather Capacity			c. Capacity		
d. Infiltration/Inflow			d. Effectiveness		
e. Bypass(es)	\boxtimes		e. Final Disposal, Solids		
2. Lift Station(s) (Collection System)			f. Final Disposal, Liquids		
a. Operation and Maintenance	\boxtimes		10. Lagoon Structures		
b. Physical Condition	. 🗇		a. Maintenance		
c. Capacity	- 🗀		b. Physical Condition	\boxtimes	
d. Reliability/Emergency Operation	\boxtimes		c. Capacity		
Industrial Waste Pre-Treatment	Essel		d. Cell Configuration		
a. Significant Industrial Users			e. Storage/Drawdown Management		$\overline{\Box}$
b. Waste Toxicity/ Compatibility			11. Flow Measurement		
c. Strength Reduction			a. Operation and Maintenance	П	
d. Effect on Treatment Plant			b. Capacity	Ä	
			c. Continuity		
Preliminary Treatment a. Operation and Maintenance	\boxtimes		d. Location. Method/ Effectiveness		
•		븝	12. Pumping		
b. Physical Condition			a. Operation and Maintenance		
c. Capacity			b. Physical Condition		
d. Effectiveness					
5. Primary Treatment	⋈		c. Capacity d. Reliability/ Emergency Operation	H	H
a. Operation and Maintenance			13. Miscellaneous	Ц.	
b. Physical Condition		-			1
c. Capacity			a. Location b. Odors	L	
d. Sludge/Scum Removal	[_]				ㅂ
e. Effectiveness	\boxtimes		c. Emergency Operation		
6. Secondary Treatment	5 2		d. Bypass(es)		H
a. Operation and Maintenance			e. Equipment		
b. Physical Condition			f. Buildings & Grounds		
c. Capacity			g. Lab Certification		
d. Recirculation			h. Other		
e. Freezing			14. Staffing, Operator Certification	57	
f. Effectiveness		니	a. Operator, Direct Responsibility		
7. Final Settling	-		b. Shift Operator(s)	· 🖂	
a. Operation and Maintenance			c. General Staffing		
b. Physical Condition			15. Supplementary	57	
c. Capacity			a. Permit Availability		님
d. Effectiveness			b. Operation Reports Availability		
8. Supplementary Treatment	Freed	_	c. Equipment Records Maintenance		닐
a. Operation and Maintenance	\boxtimes		d. Previously Noted Deficiencies	닏	닠
b. Physical Condition			e. Improvements		
c. Capacity			f. Domestic/Industrial Growth		
d. Effectiveness			g. Recommendations		
			h. Required Actions		

Facility Name: City of Riverside Page 3 NPDES Permit #: 9260001 INTRODUCTION

A compliance evaluation inspection was conducted at the City of Riverside (WWTP) on April 30, 2019. The inspection involved a review of the records, discussions with the operators identified above, and a walk through of the treatment facility. The purpose of the inspection was to determine the compliance status of the facility.

FACILITY EVALUATION

EFFLUENT LIMITATIONS

Monthly discharge monitoring reports (DMRs) submitted by Riverside for the months of April 2016 through February 2019 were reviewed for comparison with the effluent limitations in your NPDES permit. Outfall 001 demonstrated TSS exceedances for November 2016 and January 2017, pH exceedances were observed in August 2017 and March 2018, a dissolved oxygen (DO) exceedance was observed for November 2016, and e-coli exceedances were observed for October 2016, and April, June 2017.

SELF-MONITORING REPORTS

DMRs submitted by Riverside for the months of April 2016 through February 2019 were reviewed for comparison with the self-monitoring reporting requirements in your NPDES permit. The following instances of incomplete reporting were noted.

 The July, 2016 DMR was received a day late and DMR's were not received at this office for the August and September 2016 reporting period.

The facility must monitor and report at the permitted sample frequencies to ensure compliance with monitoring and reporting requirements of your NPDES permit.

NON-COMPLIANCE REPORTING

No instances of non-compliance were reported to the department during the review period. As a reminder, rule 567 IAC 63.12(455B) requires all NPDES permit holders to report orally within 24 hours when there is an exceedance of a daily maximum NPDES limit (concentration and/or mass) with the exception of pH. A written report is to be provided within 5 days of the occurrence. The report must include, at minimum, a description of noncompliance and its cause; the period of noncompliance including exact dates and times, whether the noncompliance has been corrected, and the steps taken or planned to reduce, eliminate, and prevent a reoccurrence of noncompliance. Any additional instances of noncompliance with NPDES permit limits not listed above must be reported at the time of submittal of the monthly DMR. This can be included in the comments section of the DMR. Refer to Standard Conditions #13 and #14 of your NPDES permit for additional details.

COLLECTION SYSTEM: Bypass

There have been two reported bypass due to plugged lines, and one reported bypass due to a mechanical failure since the previous inspection. As a reminder, bypassing is prohibited by rule 567-63.6(455B). If bypassing does occur, it must be reported to the department within 24 hours of discovery followed by a written report within five days.

lowa Department of Natural Resources Wastewater Treatment Facility Inspection Form

Facility Name: City of Riverside

Page 4

NPDES Permit #: 9260001

Inspection Date: 4/30/19

LIFT STATION: Operation & Maintenance

Five lift stations serve the collection system. Regular maintenance and upkeep of the lift stations by Electric and Iowa Pump has occurred since the last inspection. Nothing unusual was observed with the lift stations at the time of the inspection.

LIFT STATIONS: Reliability/Emergency Operation

The lift stations were all converted in the fall of 2017 with OMNI site monitoring/notification. Additionally, back-up power and portable pumping is available for emergency situations.

PRELIMINARY TREATMENT: Operation & Effectiveness

The headworks of the treatment plant consist of a rotating auger screen grit removal system. Lime is added to the waste contained in a dumpster box. The waste is then landfilled. At the time of the inspection, some excessive inflow was being directed to the equalization basins located to the west of the treatment plant.

PRIMARY TREATMENT: Operation/Maintenance & Effectiveness

Nothing unusual was observed with the enclosed (ISAM) tanks at the time of the inspection.

SECONDARY TREATMENT: Operation & Maintenance

The SBRs appeared to be operating normally. Foaming was not observed. The odor was a very good "earthy/musty" smell. Mixing in the VLRs appeared adequate and the mixed liquor was of an adequate brown color. Routine maintenance is performed as needed by facility staff and the system typically decants twice daily. Cleaning of the SBR's is schedule to occur in 2019.

SUPPLEMENTARY TREATMENT: Operation and Maintenance

Nothing unusual was observed with the ultraviolet disinfection system at the time of the inspection. Several bulbs (~ 40) are scheduled to be replaced in the near future

SLUDGE HANDLING AND DISPOSAL: Operation/Maintenance

Land application of the sludge has not occurred since the on-set of facility start-up.

LAGOON STRUCTURES: Physical Condition

Small trees/woody plant species were observed getting established on the lagoon berms. Efforts to control vegetation in and around the lagoon berms should be a priority.

FLOW MEASUREMENT: Location/Method/Effectiveness

Influent flow is measured via an "ABB" ultrasonic flow meter. Calibration of the flow meter is unknown. The flow meter should be calibrated at least annually.

LABORATORY CERTIFICATION

The State Hygienic Laboratory performs analytical work for the facility. The State Hygienic Laboratory is a certified laboratory as required by Chapter 83 of the Iowa Administrative Code.

·	lowa Department of Natural Resources Wastewater Treatment Facility Inspection Form
Fa	acility Name: City of Riverside Page 5
NE	PDES Permit #: 9260001 Inspection Date: 4/30/19
Bill em <u>SU</u> The	AFFING, OPERATOR CERTIFICATION: Operator, Direct Responsibility Stuckey (ID #9642) is the operator for the facility. Mr. Stuckey is a Grade 3 certified operator and uployee of People Services Inc. PPLEMENTARY: Permit expires on 7/31/2021. You are required to file for a renewal of this permit by /2021.
	NPDES PERMIT COMPLIANCE SUMMARY
	s facility is considered to be in infrequent non-compliance with the conditions of their NPDES permit monitoring and reporting and effluent limits.
	REQUIREMENTS
	Submit DMRs by the 15th of the month following the close of the reporting period. [Rule 567 IAC 63.7(455B)]
0	Meet all effluent limitations specified in your NPDES operation permit. [Subrule 567 IAC 64.3(1)]
	Comply with all monitoring and reporting requirements specified in your NPDES operation permit. [Rule 567 IAC 63.9(455B)]
•	Comply with all conditions of the permit as specified by Paragraph 64.7(4)"e" (455B).
	Maintain the treatment plant in good working order at all times and operate it as efficiently as possible. [Paragraph 567 IAC 64.7(5)"f"]
•	Calibrate the flow meter on an annual basis.
	RECOMMENDATIONS

NA

NJS: SHARED\JSOBASK\Chapter17ComplianceWW\Riverside2019Inspection.DOC

Becky

From:

Tyler.Stargel@Ferguson.com

Sent:

Wednesday, June 19, 2019 3:59 PM becky@cityofriversideiowa.com

To: Cc:

Steven.Brush@ferguson.com

Subject:

Modem Upgrade

Attachments:

M031482870.pdf

Hi Becky,

I wanted to follow up on your conversation with Steve last month about the modem upgrade for your R900 Gateways. Attached is the quote for the new ones as well as the install cost. Steve would get onsite and install them. Let me know if you have any questions whatsoever.

Thanks!

Tyler Stargel AMR/AMI Specialist

Ferguson Waterworks | Meter & Automation

2134 NW 108th Street, Clive, IA 50325

C: 515-802-8315

E: tyler.stargel@ferguson.com

ferguson.com



FERGUSON WATERWORKS #2521 1720 STATE ST DEKALB, IL 60115-2617

Phone: 815-756-2800 Fax: 815-756-2877

Deliver To:

From: Tyler Stargel

Comments:

Page 1 of 1

16:50:06 JUN 19 2019

FERGUSON WATERWORKS #2516

Price Quotation Phone: 815-756-2800

Fax: 815-756-2877

Bid No:

B125343

Bid Date: 06/18/19 Quoted By: **KEK**

Customer:

CITY OF RIVERSIDE IOWA

PO BOX 188

RIVERSIDE, IA 52327

Cust Phone: 319-648-3501

Terms:

NET 10TH PROX

Ship To:

CITY OF RIVERSIDE IOWA

PO BOX 188

RIVERSIDE, IA 52327

Cust PO#:

Job Name:

COLLECTOR .

Item ,	Description	Quantity	Net Price	UM	Total
SP-N13727001	MAINT R900 GATEWAY D COLLECTOR	2	2892.860	EA	5785.72
NWWS68TR0100	INSTALL COST METER SOFTWARE TRAINING DONE BY SUBTOTAL	2	500.000	EΑ	1000.00 6785.72
			et Total: Tax: Freight:		\$6785.72 \$0.00 \$0.00
			Total:		\$6785.72

Quoted prices are based upon receipt of the total quantity for immediate shipment (48 hours). SHIPMENTS BEYOND 48 HOURS SHALL BE AT THE PRICE IN EFFECT AT TIME OF SHIPMENT UNLESS NOTED OTHERWISE. QUOTES FOR PRODUCTS SHIPPED FOR RESALE ARE NOT FIRM UNLESS NOTED OTHERWISE.

CONTACT YOUR SALES REPRESENTATIVE IMMEDIATELY FOR ASSISTANCE WITH DBE/MBE/WBE/SMALL BUSINESS REQUIREMENTS.

Seller not responsible for delays, lack of product or increase of pricing due to causes beyond our control, and/or based upon Local, State and Federal laws governing type of products that can be sold or put into commerce. This Quote is offered contingent upon the Buyer's acceptance of Seller's terms and conditions, which are incorporated by reference and found either following this document, or on the web at https://www.ferguson.com/content/website-info/terms-of-sale Govt Buyers: All items are open market unless noted otherwise.

LEAD LAW WARNING: It is illegal to install products that are not "lead free" in accordance with US Federal or other applicable law in potable water systems anticipated for human consumption. Products with *NP in the description are NOT lead free and can only be installed in non-potable applications. Buyer is solely responsible for product selection.



HOW ARE WE DOING? WE WANT YOUR FEEDBACK!

Scan the QR code or use the link below to complete a survey about your bids: https://survey.medallia.com/?bidsorder&fc=2521&on=16654

RESOLUTION #070119-01

RESOLUTION APPROVING FINAL ACCEPTANCE FROM J&L CONSTRUCTION LLC FOR DOWNTOWN STREETSCAPE PROJECT

Whereas, the City of Riverside City at the recommendation of the City Engineering Firm, MMS Consultants, Scott Pottorff, and it is the opinion of the City Engineering Firm that the City Council hereby accepts the "Final Acceptance" from J&L Construction LLC for work performed on the Downtown Streetscape Project.

Therefore, be it resolved the City of Riverside City Council does hereby approve this request for "Final Acceptance" to Triple B Construction for the Downtown Streetscape Project.

1 Tojoot.	
Moved by Councilperson, seconded by the foregoing resolution.	Councilperson, to approve
Roll Call: Schneider, Sexton, Redlinger, Rodgers, Me	cGuire
Ayes:	
Nays:	
Absents:	
PASSED AND APPROVED by City Council of Rive 2019.	rside, lowa, on this 1st day of July,
Signed:Allen Schneider, Mayor	Date:
Attest:	Date:

Becky LaRoche, City Clerk



1917 S. Gilbert Street Iowa City, Iowa 52240

319.351.8282

mmsconsultants.net mms@mmsconsultants.net

June 26, 2019

2245-013

Mayor Schneider and City Council City of Riverside 60 N Greene Street Riverside, Iowa 52327

Re: Downtown Streetscape Project - Final Acceptance and Release of Retainage

Mayor Schneider and City Council,

The public improvements for this project have been constructed in substantial conformance with the project plans and specifications. All outstanding work from last fall has been completed.

I recommend that this project be accepted by the council and that the final payment be approved. The final payment of \$20,000 can be sent to the contractor once all lien waivers have been received.

Respectfully submitted,

Scott Pottorff, P.E.

MMS Consultants, Inc.

T:\2245\2245-013-\2245013finalacceptance.docx

RESOLUTION #070119-02

RESOLUTION APPROVING FINAL PAY REQUEST #11 FOR J&L CONSTRUCTION, LLC, FOR DOWNTOWN STREETSCAPE CONSTRUCTION PROJECT

Whereas, the City of Riverside City at the recommendation of the City Engineering Firm, MMS Consultants, Scott Pottorff and it is the opinion of the City Engineering Firm that the City Council accept this final pay request #11 in the amount of \$20,000 for final payment of this project.

Therefore, be it resolved the City of Riverside City Council does hereby accept the Final Pay Request for work done on the Downtown Streetscape project from 1/14 to 6/21/19 with 103.39% complete.

It was moved by Councilperson ______, seconded by Councilperson ______ to approve the foregoing resolution.

Roll Call: Schneider, Sexton, Rogers, Redlinger, McGuire

Ayes:

Nays:

Absents:

PASSED AND APPROVED by City Council of Riverside, Iowa, on this 1st day of July, 2019.

Signed: ______ Date______

Becky LaRoche, City Clerk

Attest:

Allen Schneider, Mayor

CONSTRUCTION PROGRESS PAYMENT

07019-02

Project Description	Downtown Streetscap Project	oe Improvements	PN:	2245013	
Contract Date	12-Mar-18				
		_			
Contractor:	J & L Construction, LI	LC	Owner:	City of Rive	rside
				Attn:	
Address:	1971 Lexington Boule	evard	Address:	60 N. Greer	
City,St., Zip:	Washington, IA 5235	3	City, St., Zip:	Riverside, I/	
Phone:	319-653-3597		Phone:	319-648-35	J1
Fax:	319-653-2410		Fax:		
	_				
Estimate # 1	–	FOR PERIOD:		Owner PN	
	Partial Payment	FROM: 1/14/19	·	Federal PN	
<u>x</u>	Final Payment	TO: 6/21/19		State PN	
	M4 742 050 05		Metaviala en Us		
Base Contract Price	\$1,713,250.05	_	Materials on Ha	and [
	1 (\$1,509.12)		Construction C	ompleted	\$1,894,678.03
Change #	2 \$2,213.19				103.39%
	3 \$5,126.75		Total Earned		\$1,894,678.03
	4 \$1,212.32			W. Carlotte	
	5 \$1,478.46	_	Less Retainage	3	
	\$2,371.17				
	7 \$1,811.25		Less Previous I	Payment	\$1,874,678.03
	\$93,113.06	_			
	\$2,242.50	_	Amount Due Th	nis Est	\$20,000.00
Change # 10		_			
Change # 1		_			
Change # 12		-			
Change # 13	\$2,240.00				
otal Contract	\$1,832,540.70				
Requested by:			Approved by:		
941 s	Jay Peiffer		Title		
itle: Date:	Project Manager		Title: Date:		
			Dale.		
tecommended by:	,		Attested by:		
	Scott Pottorff				
211	Project Engineer		Title:		
itle: ate:			Date:		

Downtown Streetscape Improvements Project

Pay Estimate No.:

Payable to: J&L Construction
Date: June 26, 2019
Week Ending: June 21, 2019

	Description	Units	Ouanfily	Price	Amount	This Estimate	This Estimate	O Dale	lo Date
								edan miy	Tipolity.
-	Traffic Control	LS	1	\$19,120.00	\$ 19,120.00	r	€	1.00	\$ 19,120.00
2	Mobilization	rs	1	\$76,000,00	\$ 76,000.00		t 69	1.00	\$ 76,000.00
က	Off Site Topsoil **	СY	190	\$39.00	7,410.00	1	€	190.00	\$ 7,410.00
. 4	Excavation, Class 13, Waste **	ζ	790	\$26.00	\$ 20,540,00	:	69	790.00	\$ 20,540.00
2	Below Grade Excavation (Core Out)	CY	100	\$57.00 \$	5,700.00		69	171.40	\$ 9,769.80
9	Subgrade Preparation	SY	2,836	\$5,50	\$ 15,598.00	1	€9	3,322.00	\$ 18,271.00
7	Subbase, Modified, 6" Thick Rock for Mainline PCC Paving **	SY	2,904				f)	3,066.00	
00	Subbase, Modified, 4" Thick Rock for PCC Sidewalk **	SY	1,376	\$8.00	\$ 11,008.00	C	€9	1,370.00	\$ 10,960.00
o	Subbase, Macadam Stone, 6" Thick	SY	387	\$6.72	\$ 2,600.64	1	і С	396.00	\$ 2,661.12
10	Subbase, Class A Crushed Stone, 4" Thick	SY	387	\$6.72	\$ 2,600.64	1	€	396.00	\$ 2,661.12
11	Trench Foundation	SNOT	100	\$24.00 \$		-	t 69	15.00	\$ 360.00
12	Replacement of Unsuitable Backfill Material, Granular Backfill	ζ	160	\$45.00		ī	69	'	5
13	Trench Compaction Testing	TS	~	\$5,460.00	\$ 5,460.00	r	1 69	0.50	\$ 2,730.00
14	Granular Trench Backfill, Class A Crushed Stone, Sanitary Sewer	占	168	\$30.00	\$ 5,040,00	z	€	129.00	\$ 3,870,00
15	Granular Trench Backfill, Porous Backfill, 12" Storm Sewer **	J.	346	\$27.00	\$ 9,342.00		69	264.00	\$ 7,128.00
16	Granular Trench Backfill, Porous Backfill, 15" Storm Sewer **	T.	22	\$27.00	\$ 2,025.00		ι ω	•	ı €9
17	Granular Trench Backfill, Class A Crushed Stone, 12" Storm Sewer	上	267	\$20.00	\$ 5,340.00	,	г СР	156.00	\$ 3,120.00
18	Granular Trench Backfill, Class A Crushed Stone, 15" Storm Sewer	上	53	\$20.00	\$ 1,060.00	t	€9	199.00	3,980.00
<u>0</u>	Granular Trench Backfill, Class A Crushed Stone, 18" Storm Sewer	5	217	\$21.00		-	г СЭ	268.00	\$ 5,628.00
20	Granular Trench Backfill, Class A Crushed Stone, 24" Storm Sewer	LF	197	\$24.00	\$ 4,728.00	,	69	196,00	\$ 4,704.00
21	Granular Trench Backfill, Class A Crushed Stone, 8" DIP Water Main	ㅂ	560	\$29.00	\$ 16,240.00	,	г сэ	968.00	\$ 28,072.00
22	Sanitary Sewer, Trenched, PVC SDR 26, 8" Dia.	J	168	\$180.00	\$ 30,240.00		69	129.00	\$ 23,220.00
23	Sanitary Sewer Service Stub, Partial Replacement	EA	4	\$3,000.00	\$ 12,000.00	,	69	4.00	\$ 12,000.00
24	Sanitray Sewer Service Stub, Complete Replacement	EA	2	\$2,000.00	\$ 10,000,00	'	. 69	2.00	\$ 10,000.00
25	Storm Sewer, Trenched, RCP, 12" Dia. ***	-F	410	\$61.00	\$ 25,010.00		ι 49	420.00	\$ 25,620.00
26	Storm Sewer, Trenched, RCP, 15" Dia. **	J)	233	\$65.50	\$ 15,261.50	,	69	215.00	\$ 14,082.50
27	Storm Sewer, Trenched, RCP, 18" Dia. **	J	532	\$67.00	\$ 35,644.00	,	1	497.00	\$ 33,299.00
28	Storm Sewer, Trenched, RCP, 24" Dia.	山	197	\$88.00	\$ 17,336,00		63-	196,00	\$ 17,248.00
29	Storm Sewer, Trenched, ADS N-12, 12" Dia.	LF	221	\$60.00	\$ 13,260,00	,	1	-	\$ 13,260.00
30	Removal of Storm Sewer **	F	383	\$35.00	\$ 13,405.00	t	1 69	-	\$ 8,120.00
31	Fill Storm Sewer with Flowable Mortar **	5	169	\$70.00	\$ 11,830.00		1 ()	135.00	\$ 9,450.00
32	Flared End Section, RCP, 18"	EA	1	\$1,600.00	1,600.00	1	1 ↔	1.00	\$ 1,600.00
33	Longitudinal Subdrain, Type 2, 6"	LF	711	\$9.50	\$ 6,754.50		€9-	1,261.00	\$ 11,979.50
34	Subdrain Cleanout, Type A-1	EA	4	\$400.00	\$ 1,600.00	1	69	-	\$ 1,200.00
35	Subdrain Outlet, Connection to Structure	EA	4	\$500.00	\$ 2,000.00	ı	t €9-	-	\$ 2,500.00
36	Water Main, 6", DIP with Nitrile Gaskets	F.	113	\$139,00	\$ 15,707.00	1	€9	113.00	\$ 15,707.00
37	Water Main, 8", DIP with Nitrile Gaskets	占	1,239	\$82.00	\$ 101,598.00	1	₽	1,221.00	\$ 100,122.00
38	Water Main, Trenchless, 8", DIP with Nitrile Gaskets	I)	269	\$ 00.00\$	\$ 24,210,00		69	273.00	\$ 24,570.00
39	Water Service, Main to Curb Stop, 1" Copper (Type K) *	EA	21	\$1,437.12	\$ 30,179.52	,	69	23.00	\$ 33,053.76
40	Water Service, Main to Curb Stop, 1" Copper (Type K), Trenchless *	EA	3	\$3,937.12	\$ 11,811,36	ŧ	69	4.00	\$ 15,748.48
41	Water Service, 1" Copper (Type K), Trenchless	-TI	74	\$24.00	\$ 1,776.00	1	·	74.00	\$ 1,776.00
42	Gate Valve, 4"	EA	1	\$900.00	\$ 900,000	1	· Уэ	1	т СР
43	Gate Valve, 6"	EA	8	\$1,100.00	\$ 3,300.00	i	5	-	\$ 3,300,00
44	Gate Valve, 8"	EA	2	\$4,000.00	\$ 8,000.00	t	: \$	00.6	\$ 36,000.00
45	Fire Hydrant Assembly	EA		\$4,300.00	\$ 17,200.00	1	·		\$ 17,200,00
46	Remove Existing Fire Hydrant Assembly	E/Pag	EAPage 1 of 3	\$750.00 \$	1,500.00		1 65	3.00	\$ 2,250.00

Item No.	Description	Units	Quantity	Price	Amount	This Estimate	This Estimate	Ouanfilty	. ⊲	Amount
47	Sanitary Sewer Manhole, 48" Dia.	Ā	2	\$9,700.00	\$ 19,400.00	 	69	-	69	19,400.00
48	Sanitary Sewer Manhole, 48" Dia., Install Only	EA	1	\$1,700.00		- 0	69	1.00	69	1,700,00
49	Storm Intake, Type SW-501 **	EA	e	\$3,100.00		- 0	€			9,300.00
20	Storm Intake, Type SW-507	EA	4	\$3,600.00	es s	0	ι ()			14,400.00
51		EA	7	\$2,900.00	€9	,	€9	7.00	-	20,300.00
52	Connect to Existing Storm Structure **	EA	4	\$1,000.00	\$	-	€3	3,00	-	3,000.00
23	Remove Existing Storm Manhole or Intake	EA	2	\$400.00	69	-	1 € 3		_	1,200.00
54	PCC Pavement, 7" **	SY	1808	\$37.00	₩	. 0	€9	1,	-	69,153.00
55	PCC Pavement, 8"	SΥ	764	\$47.00			€9	780.00	_	36,660.00
56	PCC Pavement, 10"	λS	218	\$61.00		- 0	\$		-	24,156.00
57	PCC Curb and Gutter, 6" Standard Curb, 24" Wide	느	44	\$26.00		- 0	\$	56.00	69	1,456.00
58	PCC Curb and Gutter, 3" Roll Curb, 24" Wide	片	319	\$26.00	₩	- 0	€9-	319.00	_	8,294.00
29	PCC Curb and Gutter, 6" Beam Curb	ㅂ	123	\$34.00		- 0	\$	120.00	69	4,080.00
90	HMA Pavement, 6"	λS	262	\$64.50		- 0	€9		\$	21,414.00
61	Removal of Sidewalk	λS	850	\$13.25		- 0	€	850,00	69	11,262.50
62	Reinforced Sidewalk, PCC, 5"	λS	563	\$43.00		- 0	49	270,00		24,510,00
63	Reinforced Sidewalk, PCC, 6"	SY	343	\$50.50	\$ 17,321.50	-	€9		\$ 0	17,195.25
64	Non-Reinforced Sidewalk, PCC, 5"	SY	214	\$35.50		- 0	€		-	7,676.88
65	Brick Pavers w/ Rock Base	SY	92	\$110.00		1	69	89.00	\$	9,790.00
99	Detectable Warnings ***	SF	100	\$40.00	\$ 4,000.00	- 0	€9		\$	4,800.00
29	Granular Surfacing, Class A Crushed Stone **	TONS	160	\$16.00		- 0	€	103.23	es es	1,651.68
89	Removal of Pavement **	SY	3,737	\$12.00	\$	1	49	e	-	47,808.00
69	Bituminous Seal Coat	SY	387	\$19.25		. 2	69	384.40	\$	7,399.70
70	Painted Pavement Markings, Waterborne or Solvent, 4", White	STA	15	\$68.00	€9	-	t 69		43	
77	Painted Symbols and Legends	EA	4	\$65.00	₩	0	€9		69	1
72	Sod **	SQ	152	\$78.83	\$ 11	9	€9	165.67	\$ 2	13,059.77
73	SWPPP Management	rs	1	\$2,741.47	\$ 2,741.47	- 2	69-	1.00	\$	2,741.47
74	Inlet Protection Device	EA	13	\$67.92	69	. 9	€	10.00	-	679.20
75	Inlet Protection Device Maintenance	EA	13	\$47.53	69	1	69	1	69	3
76	PCC Steps	SF	72	\$80.00		- 0	€		-	5,760.00
11	Handrail for Steps and Ramps, Black Powder Coat	4	110	\$77.50		- 0	\$	22	\$ 0	17,747.50
78	Connect Downspout & Roof Drain to Storm Sewer	EA	e	\$700.00	\$ 2,100.00	- 0	49		\$ 0	2,800.00
79	Connect to Exist Water Main	EA	9	\$1,200.00		0	€	8.00	\$	9,600.00
80	Connect to Exist Water Main, Cut in 4"x4" Tee	EA	-	\$2,000.00	€9	- 0	69		69	
26	Abandon Exist Water Main, Fill w/ Flowable Mortar	ካ	1632	\$7.00	€9	- 0	\$	-	69	11,424.00
82	Decorative Retaining Wall	T)	550	\$975.00	€ 9		to to	55	\$ 0	536,250.00
83	Bollards	EA	2	\$1,750.00	\$ 3,500.00	- 0	€	2.00	\$ 0	3,500.00
84	Area Drains, 18" ADS Nyloplast or Equivalant	EA	8	\$1,716.06		1 00	1 69			5,148.18
82	Area Drain Connection to Existing Storm Sewer	EA	6	\$2,200.00	69	- 0	€9		-	6,600.00
98	Light Pole Base, LI-201	E	14	\$950.00	69	-	· ·		_	13,300.00
87	Decorative Light Poles & Fixtures, Type LA	EA	4	\$7,100.00	€9	0			-	26,625.00
88 8	Decorative Light Poles & Fixtures, Type LB	Δi	4	\$7,600.00	€	0	<i>A</i> 6	4.00	-	30,400.00
88	Decorative Light Poles & Fixtures, Type LC	EA		\$5,800.00	69	0			-	29,000.00
200	Decorative Light Poles & Fixtures, Type LD	EA	9 8	\$5,100.00	ьэ (0 1	F 6	-	_	30,600.00
9.1	Electrical Conduit, 2" PVC	± ;	908	\$14.00	b9 (0	9 6	50,1	_	18,7 18.00
92	Lighting Control Cabinet	EA	7	\$11,000.00	69 6		e e	1.00	-	11,000.00
20 20	Ejectrical Origuit	<u> </u>	1,2/4	\$7.83	s s e	2 2		-	9 6	2,975,42
94	Hand Hole, LI-1U3, Type II	1	79	\$500.00	1,500.00	0	9		-	2,000,00
	TOTAL CONTRACT				\$ 1,777,283.99	6	\$		\$	1,839,121.32
C.O. #2	Extend Water Service into Building and Connect to Existing Service Inside Building	FA	3 000	873778		σ	e.	3 000		0 043 40
	TOTAL CHANGE C.O. #2				\$ 2,213.19	6	ω,		++	2,213.19
C.O. #3	Exploratory Excavation Work for Riverside Grain and Feed	rs	1.000	\$1,260.29	69	0,	69	1.00		1,260.29
	Extra Work for Peoples Trust and Savings Bank Water Service	ST	1.000	\$1,933,23	\$ 1,933,23		69	1,000	& O	1,933.23
	Extra Work for B&B Automotive Water Service	LS	1.000	\$1,933,23	69		<i>u</i>	-		4 000 00

Item No.	Description	Units	Quantity	Price	Amount	This Estimate	This Estimate	Quantity	: A	Amount
	TOTAL CHANGE C.O. #3				\$ 5,126.75		₩.		49	5,126.75
777		-		_						
1	Relocate Existing Samilarly Sewer Service to the Community Building	S	1.000	\$1,212.32		ŀ	69	1,000	_	1,212.32
T	IOIAL CHANGE C.O. #4				\$ 1,212,32		45	V	49	1,212,32
.0. 將	Relocate Existing Water Service in Conflict With Intake #6	S	1,000	\$1.478.46	1 478 46		e	7	6	1 470 46
	TOTAL CHANGE C.O. #5			1 1				200	-	1,478.46
0.1	One that the first the Ot			_						
.c. #8	Sanitary Manhole #3 Changes	ST	1.000	\$2,371.17			69-	1,000	69	2,371.17
	TOTAL CHANGE C.O. #6				\$ 2,371.17		49		-	2,371.17
.0. #7	Additional Signage	S.	1 000	\$1 841 25	1 841 95		u	7		10.4
	TOTAL CHANGE C.O. #7				İ		· ·	000	9 49	1.811.25
										2
.O. #8	Storm Manhole SW401, 48"	EA	2,000		\$ 9,600.00		9	2,000	-	9.600.00
	PCC Sidewalk, 6"	λS	58,000			-	€9	58.000	65)	2,900,00
	PCC Driveway, 6"	λS	198,000	\$50.00		-	69	204,000	69	10,200,00
	Modification to Storm MH 15	rs	1.000		1,	•	,	1.000	-	1,020.00
21	Collar to Existing Pipe	ST	1.000				€	1.000	69	550,00
	Traffic Control (Additional Time for Traffic Signals)	ST	1.000	\$3,600.00	\$ 3,600.00		69	1.000	-	3,600,00
	TOTAL CHANGE C.O. #8				\$ 27,570,00		1 (/)		es.	27,870.00
Cit	H								-	
£	Lunieling for water Service	LS	1.000	\$2,242.50		•	69	1.000	69	2,242,50
	TOTAL CHANGE C.O. #9				\$ 2,242.50		49		49	2,242,50
0 #10	I ower Intake and Lower Alley Grade to Match Intake	U	000	00 002 00	00 003 6				-	000
Γ	TOTAL CHANGE CO #10	3	200				9 6	1.000	A 4	3,500.00
							9		A	3,500.00
0.#11	Additional Labor to run Water Service Through Basement Wall 81 W 1st Street	TS	1.000	\$214.13	\$ 214.13	1	69	1.000	69	214,13
	Lower Existing Sanitary Service to Accommodate Storm Sewer 90 W 1st Street	ST	1.000		\$ 1,196.56	ı	69	1.000	ι.	1,196,56
	Exploratory Excavation Work to Connect Water Service - 90 W 1st Street	ST	1.000			1	69	1.000	-	702,60
	Install Reducer on 2nd Water Service - 31 W 1st Street	ST	1.000	\$317.35	\$ 317.35		69	1.000	-	317.35
	Exploratory Work to Find Existing Water Service	ST	1.000	\$1,850.43	\$ 1,850.43		€9	1.000	_	1,850.43
	TOTAL CHANGE C.O. #11				\$ 4,281.07		th.		es.	4,281.07
.0. #12	Remove/Fill in Cistern in Alley	S7	1,000	\$1,210,00	\$ 1,210,00		65	1 000	er.	1 210 00
	TOTAL CHANGE C.O. #12			_					+-	1 210 00
									,	
.0. #13	Install Area Intake Near 51 W 1st Street	ST	1.000	\$2,240,00	\$ 2,240.00	100	€	1.000	69	2,240.00
	TOTAL CHANGE C.O. #13	-					€9	ì	(A)	2,240.00
1					-				- 1	
	TOTAL CONTRACT WITH CHANGE ORDERS				\$ 1.832.540.70	-	u		·	1 894 678 03

^{*} Items Changed with Change Order #1
** Items Changed with Change Order #8

Refainage	Total Value of Completed Work Less Retainage \$ 1,894,678.03	Previous Payments \$ 1,874,678.03	Current Payment Due \$ 20,000.00	
		\$ 130,043.60 \$ 382,895.64	\$ 261,248.05 \$ 61,111.59 \$ 131,826.75 \$ 351,904.18 \$ 280,053.05 \$ 74,733.90 \$ 74,733.90	
		Pay Estimate #1 Pay Estimate #2	Pay Estimate #3 Pay Estimate #3 Pay Estimate #6 (Not including Stored Materials) Pay Estimate #6 (Not including Stored Materials) Pay Estimate #6 (Not including Stored Materials) Pay Estimate #7 (Not including Stored Materials) Pay Estimate #7 (Loss Stored Materials) Pay Estimate #9 (Less Stored Materials) Pay Estimate #9 (Less Stored Materials)	

PREPARED BY AND AFTER RECORDING RETURN TO: 202 1st Street SW, Mount Vernon, Iowa 52314

Douglas D. Wolfe, Wolfe Law Offices, (319) 895-8578

Addendum

To

Development Agreement

North Growth Area Potential Project

To The City of Riverside, Washington County, Iowa

THE, purpose of this addendum is to clarify the extent of Phase One infrastructure and the number of building lots included.

The initial agreement called for (14) fourteen lots in Phase One, a water retention basin and 755 lineal feet of new street as indicated on Concept A plans provided by Axiom Consultants. The amount of cost share from the City of Riverside is based on the lineal feet of paved street constructed and for Phase One is agreed to be 610 dollars per foot which includes costs for the water retention area. The amount of cost share from the City of Riverside to Apex Development Group, LLC is agreed to be 610 dollars multiplied by 755 is equal to 460,550 dollars, plus contingency not to exceed 500,000 dollars for Phase One. Additional phase cost share will be calculated using 530 dollars per lineal foot of street.

The revised plan, Northern Heights Subdivision, Riverside lowa, titled Preliminary Plat, dated May 7, 2019 shows Phase One having 21 building lots, a water retention basin and 1117 lineal feet of new street. By this addendum Phase One will have an additional 362 lineal feet of paved street. The added cost share from the City of Riverside to Apex Development Group LLC for 362 of street at 530 dollars, is equal to 191,860 dollars.

Apex Development Group is responsible for all other associated costs as stated in the original agreement. All other contents of the initial agreement will not be altered by this addendum and will remain as a binding document.

Signed and Exec	cuted This	_ day of July, 2019
Apex Developm	ent Group LLC	
Ву		
Steve Schmidt	Member/Manager	

Signed and Executed This day of J	uly, 2019
City of Riverside, Iowa	
Ву	
Allen Schneider, MAYOR	
Attest:	
Ву	
Becky LaRoche, CITY CLERK	
STATE OF IOWA)	
) ss: JOHNSON COUNTY }	
THIS instrument was acknowledged before Steve Schmidt, as member/manager of Ape	
	Notary Public in and for said state
STATE OF IOWA)	
) ss: WASHINGTON COUNTY)	
personally appeared <u>Allen Schneider</u> and <u>Be</u> being duly sworn, did say that they are the I owa; and that the instrument was signed o of its City Council, as contained in Ordinance	a Notary Public in and for the State of Iowa, ecky LaRoche to me personally known, and who MAYOR and the CITY CLERK of the City of Riverside, n behalf of the City of Riverside, Iowa, by authority e No, the day of July, 2019 and the said Mayor and
	ne instrument to be their voluntary act and deed and
	Notary Public in and for said State

NORTHERN HEIGHTS SUBDIVISION vedby, nomblo 3. A donnie B. SK 2008, po 4995 Yeoby, Domald D. & Domnie D. Br. 64, PB 342 RIVERSIDE, WASHINGTON COUNTY, IOWA CULVERT **PRELIMINARY PLAT** Service of the servic VELOW PLATIC CAN STATE SYTES E 250 E 200 E1 54 525AC 20 Sign 39 2047AC 56 57 57 57 57 57 57 57 999 999 38 38 57 P. 1025.AC 37.02.0 37.02.0 5.00.0 15 A 754 7546 7546 37 A 27.570 36 53 53 53 34 20AC 46 10 100 P 47 @ ****** 52 31,094 33 13,850 13,000 10,000 10 70 0.25 AC 11,0165 Yeset, serio do. 8 echened. Bil 2006, pe 4266 51 025AC 50 32 130AC 31 (E) 49 032AC 20 S 27 TZ 11 K SATES OVER 19 23 027/42 25 SUBAC HURSI LOCATION 0.20AC 14 A 569" 50' 28"E 75.00" STORMWATER BASIN 1.021 AC 15 TZ ## 28 OUTLOT A LOCATION MAP CITY OF RIVERSIDE, JOWA POART OF BEGINNING INW CORNER OF INE 1/4 OF SW 1/4 OF 8-77-6 NW CORNER OF INE 1/4 OF SW 1/4 OF 8-77-6 FOUND 5/8" REBAR WITH ORANGE PLASTIC CAP 88 905 3465 85 685 BEGINNING AT THE NORTHWEST CORRER OF THE NORTHEAST QUARTER (NE X) OF THE SOUTHWEST QUARTER (SW X) OF SAID SECTION 8 (NE CORNER OF SAID LOT 1). THENCE ALONG THE NORTH LINE OF SAID SOUTHWEST QUARTER (SW X) 5895855°E, 506.88 FEET TO THE CENTERLINE OF SAID TUPELO BOULEVARD, THENCE ALONG SAID CENTERLINE ALLO-FOT JA, SUBDIVISION OF THE NORTHWEST QUARTER (NW JA OF THE SOUTHWEST QUARTER (NW JA AND) THE NORTHEST CUARTER (NE JA OF THE SOUTHWEST QUARTER (NW JA OF THE SOUTHWEST AND THE SOUTHWEST TO THE SOUTHWEST TO THE SOUTHWEST AND T 30 DESCRIBED PARCEL CONTAINS 30.51 ACRES AND IS SUBJECT TO EASEMENTS AND RESTRICTIONS OF RECORD. PARCEL A NW ¼ OF SW ¼ AND NE ¼ OF SW ¼ GAL DESCRIPTION YEEET ROETLIJ FARMS, LLG BR 2676, PE 4400 EXISTING 24" CMP CULVERT ACQUISITION ACQUISITION ACQUISITION LOT'S 20 - 29 TO BE ZERO LOTS. LOT'S TO BE MULTIFAMILY. DUTLOT A TO BE DEDICATED TO THE CITY OF RIVERSIDE FOR STORM WATER MANAGEMENT. ACCESS TO DUTLOT A SHALL B FROM TUPELO BOULEVARO. SETBACKS FOR R-2 ARE 25' FOR FRONT, 25' FOR REAR, 7' SIDE YARD FOR ONE STORY, AND 10' SIDE YARD FOR 2 STORY, ALL LOT EXCEPT FOR LOT 20 TO BE R-2. ACCESS FOR LOTS 30, 62, AND 63 IS RESTRICTED TO ROETLIN ROAD. ACCESS FOR LOTS 1, 14, 39 - 43, and 58 - 60 IS RESTRICTED TO GALLIED DRIVE. OWNER / APPLICANT: APEX DEVELOPMENT GROUP, LLC STEVE SCHMIDT: 4218 YVETTE STREET SW IOWA CITY, IA 52240 329-339-1543 STORMWATER BASIN ON LOT 30 IS TO BE PRIVATELY OWNED AND MAINTAINED. PARCELS A, B, C, AND D ARE TO BE DEDICATED TO THE CITY OF THER STOPMAY. KEY NOTES: Phase 2 to consist of Lots 22 through 30 Phase 3 to consist of Lots 31 through 49 Phase 4 to consist of Lots 50 through 71. PHASE 2 TO CONSIST OF LOTS 1 THROUGH 21 AND OUTLOT Θ 9 0 (E) 15' PRIVATE UTILITY EASEMENT © 25' DRAINAGE EASEMENT 40" DRAINAGE EASEMENT 20' STORM SEWER EASEMEN' 20" PUBLIC ACCESS AND STORM SEWER EAS 20' DRAINAGE EASEMENT DRAINAGE AND STORM SEWER EASEMENT. SIDEWALKS ALONG TUPELD BOULEVARD TO BE INSTALLED WITH FUTURE TUPELD BOULEVARD IMPROVEMENTS. ATTORNEY: DOUG WOLFE WOLFE LAW OFFICE 202 FRIST STREET SW MOUNT VERNON, IDWA 52314 319-895-8578 PREPARED 8Y: AXIOM CONSULTANTS, LLC MICHAEL J. WELCH, PE 80 E. COURT STREET UNIT 3 IOWA CITY, IOWA 57240 3 3 DRAWING LOG DESCRIPTION OF CHANGES CITY ALVIEW REVISED PHASING PRELIMINARY PLAT NORTHERN HEIGHTS REV A B SUBDIVISION RIVERSIDE, IOWA 1 OF 2 18-0059 WELCH APEX DEVELOPMENT GROUP MAY 7, 2019

RESOLUTION #070119-03

RESOLUTION APPROVING PAY REQUEST #6 FOR TRIPLE B CONSTRUCTION, FOR HWY 22 IMPROVEMENTS PROJECT

Whereas, the City of Riverside City at the recommendation of the City Engineering Firm, MMS Consultants, Scott Pottorff and it is the opinion of the City Engineering Firm that the City Council accept this pay request in the amount of \$111,233.15 for partial payment of this project from 45/27 TO 6/21/19.

Therefore, be it resolved the City of Riverside City Council does hereby accept the Pay

payment of this p	bject from 45/27 10 6/21/19.
	esolved the City of Riverside City Council does hereby accept the Park done on the Hwy 22 Improvements project with 36.37% complete
It was moved b approve the foreg	Councilperson, seconded by Councilperson, sing resolution.
Roll Call: Schnei	er, Sexton, Rodgers, Redlinger, McGuire
Ayes:	
Nays:	
Absents:	
PASSED AND A 2019.	PROVED by City Council of Riverside, lowa, on this 1st day of Ju
Signed:	Date
	chneider, Mayor
Attest:	Date
Becky	aRoche, City Clerk

•

CONSTRUCTION PROGRESS PAYMENT

070119-03

Project Description Contract Date	Highway 22 Improvements Project 19-Aug-18	PN:	2245038
Contractor: Address: City,St., Zip: Phone: Fax:	Triple B Construction 710 Ayres Progress Drive Wilton, IA 52778 563-732-3478 563-732-2105	Owner: Address: City, St., Zip: Phone: Fax:	City of Riverside Attn: 60 N. Greene Street Riverside, IA 52327 319-648-3501
Estimate #	6 FOR PERIOD: Partial Payment FROM: 5/27/19 Final Payment TO: 6/21/19		Owner PN Federal PN State PN
Base Contract Price	\$1,884,454.00	Materials on H	and \$ (18,266.58)
Change # Total Contract	1 \$25,328.50 2 (\$50.00) 3 \$1,335.00 4 \$2,300.00 5 (\$58,365.00) 6 \$5,850.00 7 \$17,621.00 8 \$24,421.75	Construction Const	36.37% \$673,760.67 e \$34,601.36 Payment \$527,926,16
Requested by: — Title: Date:	Brad Jipp President/Owner	Approved by: Title: Date:	
		Attested by:	

4.5				200		בווים בייווים ביי	IS ESTIMATE	Cuantity	Amount
47	Cut in 12" x 8" Tee	EA	1	\$1,700.00	1,700.00		-	1.00	\$ 1,700.00
48	Connect to Exist Water Main ***	EA	5			•	ı У	7.00	
49		EA	16			E-CO	₩	16.00	
3 2	Water Service, Trenchiess, Main to Curb Stop on Opposite Stde of Highway 22, 1" PE 200 PSI	A	e	-			69		40
G 5	Neilloval D. Water Ivialii	<u>.</u>	609			90,00	-	.,	
53	Captor Nalve 6" ***	¥ 5	e (yy 6		\$ 4,000.00
3 45	Gate Valve, 8" ***	5 4	2 0	\$950,00		0.:	A 4	2.00	
55	Gate Valve, 12"	Z H	7	_	\$ 2,400.00			2.00	\$ 2,400.00
56	Fire Hydrant Assembly	a a	4	_		1) i	4.00	
57	Remove Existing Fire Hydrant Assembly	EA	2	_	1,000,00	1.00	+	2.00	1,000.00
58	Storm Sewer Manhole, Type SW-401-48"	EA	5	-		-	69		
59	Storm Intake, Type SW-512, 24"	EA	4	_		1.00	\$ 1,750.00		
90	Storm Intake, Type SW-541 With SW-542 Extensions Each Way	E	7		.,	1	69		
61	Storm Intake, Type SW-545, LO = 12' **	E	11		\$ 58,850,00	1	69	1.00	
62	Storm Intake, Modified Type SW-545, LO = 12' **	, EA	0			•		ı	
63	Storm Intake, Type SW-545, LO = 12', Connect to Box Culvert	EA	1	_	\$ 6,500.00	1	1 69		8
64	Storm Sewer Junction Structure	EA	1			1		1.00	,
85	Connect to Existing Storm Structure	Æ	2	\$1,000.00		t		1.00	
99	Remove Existing Storm Manhole or Intake	EA	9	\$500.00	\$ 3,000.00	2.00	-	4.00	\$ 2,000.00
67	PCC Pavement, 7" * ****	λS	873		\$ 42,777.00		69	ı	\$
88	PCC Pavement, 10"	λS	55		\$ 6,050.00	ı	1 69	-	
69	PCC Curb and Gutter, 24" Wide * ****	느	1,556	\$26.00		T.	- 69	1,534.00	\$ 39,884.00
20	Adjustment of Fixtures	Æ	17	\$150.00			69	•	
7.1	Removal of Sidewalk ****	SΥ	702	\$8.00		-	69	646.00	2
72	Removal of Paved Driveway ****	SY	367	\$10.00	\$ 3,670.00	1	·	88.00	
73	PCC Sidewalk, 5" ****	SY	1477			•	err err	447.00	\$ 17,433.00
74	Detectable Warnings *****	SF	188			1	ı С Э	,	
75	PCC Driveway, 6" Thick * ****	SY	446		İ	•	1 69	129.00	\$ 6,063.00
76	HMA Driveway, 6" I hick *	SY	174	\$63.00		, ,	69		
282	Semonal of Davament ****	S S	460			40.00	A 6	1	
20 02	Ritiminole Seal Coat * *****	20	472	\$12.00	99 6		9 6	4	\$ 8'880.UU
0	Dainted Davement Markings Temporary Meterhome or Salvant	OT.	403		99 6			1	
9 2	Painted Pavament Markings, Tempolary, Waterbolle of Solvell. Deinted Pavament Markings Darmanant Directle	A Lo	124	\$30.00			6 6	1	д (
20 00	Mulching for Emsion Control	A 100	122	\$60.00	\$ 7,320.00) H	:	P 6
88	Sod ****	SO	430	\$60.00	35	86.00	\$ 5,160	86.00	\$ 5.160.00
84	SWPPP Management	LS	1	\$4,000.00	e e	0.25	69	0:50	
85	Inlet Protection Device	EA	24.0	\$50,00	\$ 1,200.00	,	(1)		
86	Inlet Protection Device Maintenance	EA	24	\$25,00		•	г сэ	1	69
87	Patches By Count (Repair)	EA	10	\$500,00	\$ 5,000.00	,	- ↔	-	ક
88	Patches, Full-Depth Repair	λS	280	\$150.00			- •Э	-	€9
88	Base Widening, Hot Mix Asphalt Mixture ****	TONS	220	\$70.00			€\$	1	(A)
6	Payement Scarification	SY	13875	\$5.50		'	٠ ج	1	6)
91	HIMA Interlayer Base Course, 3/8"	TONS	775	\$65.00	\$ 50,375,00		с	•	G
92	HMA Mixture, High Traffic, Surface Course, 1/2" Mix, Priction L-4 ******	TONS	1386	\$71.00		•			69 (
93	HNIA MIXIUR, High Iranic, Intermediate Course, 1/2" Mix """"	SNO	1386			'	99 (-	6 9
94	Asphalt Binder, PG 36-263	SNO L	16		٠	•		5	59 E
CE	Asptian Dilitari, FO SOZZUI	CNO	901	\$635.UU					9 (
2 2	Asprain Diridel, FG 30-34E	ONO G	80			'		-	A 6
S an	PCC Curb and Gutter 48" Wirle ****	3 1	1005			' '	9 4	- 100	- 237000
8 8	Remove and Reinstall Signs	EA	000	00.000	4 000 00	'		0.10	
3		i	0.5						,
	TOTAL CONTRACT				\$ 1,863,051.50		\$ 136,315,50		\$ 679,990,25
		Pane	of3		l				

34

Becky

From:

Kathy Dolan <kdolan@co.washington.ia.us>

Sent: To: Wednesday, June 19, 2019 10:36 AM 'becky@cityofriversideiowa.com'

Subject:

Riverside Bridge

Attachments:

Untitled_06192019_102512.pdf

Becky:

Here is the invoice and results. Please pay direct to Onsite Discovery. If you have any questions, please let me know.

Thank you!

Kathy Dolan, Ofc. Mgr. Washington County Engineers Office 210 W Main St, Ste 2 Washington, IA 52353 Ph 319-653-7731 Fax 319-653-7730

----Original Message-----

From: engieersofwashington@printdept.jscloudservices.com [mailto:engieersofwashington@printdept.jscloudservices.com]

Sent: Wednesday, June 19, 2019 10:25 AM To: Kathy Dolan < kdolan@co.washington.ia.us>

Subject: Scan from a Samsung MFP

Please open the attached document. It was scanned and sent to you using a Samsung MFP.



Invoice

Onsite Discovery, LLC

EIN# 81-5448294 #RepairNotRebuild Date: June 18, 2019

invoice #: 1513

To: Washington County lowa Attn: Jacob Thorlus 210 W Main St, Suite 2 Washington, IA 52353

Representative	Job	Payment Terms	Due Date
Kevin Stumpff	2019 DCP Testing	Net 15	7/10/19
			1997

ity	Description	Unit	Price	Line T	leto'
12.00	Dynamic Cone Penetrometer Testing	\$	500,00		6,000.
1.00	Mobilization (WAIVED)		\$0.00	Ψ	\$0.
			40.00	and the st	φυ,
				Carrier I	
HE 1840					Accessed
200 ESC 200 ESC			70 Fee		
23—30 E9A			Area -		
-2					1000
		100			
1.72					
					-
red Navier					<u> </u>
100-10					- 17 TH - 12
			100		455
				TANK .	100 m
				- 5	
					1
			Subtotal	\$	6,000.0
			Sales Tax	200	0,000.0
			Total	÷	6 000 0

Make all checks payable to Onsite Discovery, LLC

Online Credit Card Payment Available - Contact Kevin Stumpff * City of Riverside \$1000 =

Thank you for your business!

2840 S. 70th, #192, Suite 7, Lincoln, NE 68506 -- (402) 417-8407 - Kevin@OnsiteDiscovery.us

* Becky: Please pay \$1000 = direct to Onsite Biscovery, LLC



Onsite Discovery, LLC 2840 S. 70th St., Suite 7 #192 Lincoln, NE 68516 402-417-8407

Project		Depth		Blow		Depth		Blow
Riverside Bridge - North	ft	in	cm	Count	ft	in	cm	Count
Approach	0.33	3.94	10		16.73	200.79	510	20
State	0.66	7.87	20	- 50	17.06	204.72	520	18
IA	0.98	11.81	30	8	17.39	208.66	530	18
=	1.31	15.75	40	19	17.72	212.60	540	19
County	1.64	19.69	50	19	18.04	216.54	550	19
Washington	1.97	23.62	60	23	18.37	220.47	560	19
	2.30	27.56	70	23	18.70	224.41	570	21
City	2.62	31.50	80	11	19.03	228.35	580	20
Riverside	2.95	35,43	90		19.36	232.28	590	25
	3.28	39.37	100		19.69	236.22	600	24
Date	3.61	43.31	110		20.01	240.16	610	25
06/11/19	3.94	47.24	120	(5)	20.34	244.09	620	-
and the same of th	4.27	51.18	130		20.67	248.03	630	-
Client	4.59	55.12	140		21.00	251.97	640	
Washington County	4.92	59.06	150		21.33	255.91	650	* -
Jacob Thorius P.E.	5.25	62.99	160		21.65	259.84	660	
(319) 653-7731	5.58	66.93	170		21.98	263.78	670	-
Company of the compan	5.91	70.87	180	8	22.31	267.72	680	
DCP Operator	6.23	74.80	190	(6)	22.64	271.65	690	-
Craig Stumpff	6.56	78.74	200	(6)	22.97	275.59	700	-
(402) 677-1596	6.89	82.68	210	6	23.29	279.53	710	
	7.22	86.61	220		23.62	283.46	720	-
Pavement Material	7.55	90.55	230		23.95	287.40	730	-
Concrete	7.87	94.49	240		24.28	291.34	740	-
Day of the land	8.20	98,43	250		24.61	295.28	750	
Pavement Thickness '8"	8.53	102.36	260		24.93	299.21	760	-
8	8.86	106.30	270		25.26	303.15	770	-
Out Expense	9.19	110.24	280		25.59	307.09	780	-
Project DCP #	9.51	114.17	290	6	25.92	311.02	790	-
	9.84	118,11	300	7	26.25	314.96	800	_
Deves OCO #	10.17	122,05	310	7	26.57	318.90	810	-
Rover DCP #	10.50	125,98	320	9	26.90	322.83	820	-
.052	10.83	129,92	330	10	27.23	326.77	830	-
Start Time	11.15	133.86	340	9	27.56	330.71	840	17000 - 20
:10 a.m.	11.48	137.80	350	8	27.89	334.65	850	-
.10 d.lli.	11,81	141.73	360	11	28.22	338,58	860	-
Finish Time	12.14	145.67	370	10	28.54	342.52	870	_
:35 a.m.	12.47	149.61	380	11	28.87	346.46	880	1
.55 d.(II).	12.80	153.54	390	13	29.20	350.39	890	
Special Notes	13.12	157.48	400	13	29.53	354.33	900	~
0'6" North of Abutment.	13.45	161,42	410	14	29.86	358.27	910	-
31	13.78	165.35	420	14	30.18	362.20	920	2.5
From East Edge of	14.11	169.29	430	14	30.51	366.14	930	-
oncrete.	14.44	173.23	440	1/4	30.84	370.08	940	-
	14.76	177,17	450	1(5)	31.17	374.02	950	-
ž	15.09	181.10	460	177	31.50	377.95	960	- 324
	15.42	185.04	470	16	31.82	381.89	970	
	15.75	188.98	480	15	32.15	385.83	980	
	16.08	192.91	490	18	32,48	389.76	990	-
A STATE OF THE STA	16.40	196.85	500	19	32.81 subgrade strend	393.70	1000	

Dynamic Cone Penetrometer testing is an indicator of subgrade strength.

Onsite Discovery is a DCP testing contractor. Onsite Discovery is not a geotechnical engineering firm.

Page 1 of 1

Becky	
From: Sent: To: Cc: Subject: Attachments:	mayor@cityofriversideiowa.com Wednesday, June 19, 2019 11:00 AM 'Becky' bryan@cityofriversideiowa.com; jay@cityofriversideiowa.com FW: 22250 Washington Co. (Riverside) - NEPA & FAA/FCC Riverside Archaeological Sites.pdf
Here's the map of the tower sites	5.
Becky, can you forward to Bill Stu	ıkey as well?
From: 01 Jared Schneider < ischne Date: Mon, Jun 17, 2019 at 10:43 Subject: Fwd: 22250 Washington	eider@wps.co.washington.ia.us>
Jack Seward < iseward@co.washin Cc: Natalie Doty < ndoty@edgeco <mike.day@tncg.com>, "John M. <aostreng@edgeconsult.com> Subject: FW: 22250 Washington G FYI, we are forecasting some SHP reported archaeological site. Our issue (see attached) drawing. At caution that may still be too close</aostreng@edgeconsult.com></mike.day@tncg.com>	er@wps.co.washington.ia.us>, 38 Cara Sorrells <csorrells@wps.co.washington.ia.us>, ngton.ia.us>, Richard Young <ryoung@co.washington.ia.us> nsult.com>, Scott Zaputil <scott.zaputil@racom.net>, 'Mike Day' Thompson (iohn.thompson@tncg.com)" <iohn.thompson@tncg.com>, Arlen Ostreng Co. (Riverside) - NEPA & FAA/FCC O issues with the proposed Riverside site location due the presence of a previously recompliance group is recommending we move the tower location now to avoid this a min. they are recommending we move the tower to the option "B" location, but the archeological site. They would recommend going further away (option "C").</iohn.thompson@tncg.com></scott.zaputil@racom.net></ryoung@co.washington.ia.us></csorrells@wps.co.washington.ia.us>
Please let me know how you wou	Ild like to proceed. Would option "C" acceptable to the City of Riverside?
Thanks,	

Arlen J. Ostreng, P.E.

Edge Consulting Engineers, Inc.

https://edgeconsult.com

Office: 608-644-1449

Cell: 608-219-9202



From: Jake Rieb < irieb@edgeconsult.com > Sent: Monday, June 17, 2019 8:23 AM

To: Arlen Ostreng aostreng@edgeconsult.com>

Subject: RE: 22250 Washington Co. (Riverside) - NEPA & FAA/FCC

ΑJ,


During the background research for the Riverside project, we discovered this proposed tower location overlaps a previously reported archaeological site area. Attached is a sketch showing the reported site area. Even though "Option B" is mostly just outside the site area, there is a very high chance that additional archaeological materials could be located there if/when we survey the tower footprint.

In short, this location will probably not do very well with either SHPO or tribal reviews. If reasonably possible, I first recommend considering other options for tower location(s) nearby. If that is not feasible, please caution the client that this one could be a slow and/or difficult review process for this location, with no guarantee we can get full approval from all the consulting parties. Iowa SHPO has been very strong with their requests recently and I expect that will continue with this location as well.

Let me know if you want to discuss.

Thanks,

Jake



RESOLUTION #070119-04

RESOLUTION APPROVING THE TRANSFER OF FUNDS FOR THE 2018-2019 BUDGET YEAR

WHEREAS, the City of Riverside exercises the right to transfer funds per the certified budget for Fiscal Year 2018-2019.

Transfer an additional \$100,000.00 from the Road Use Fund Surplus to the Capital Projects Fund, for capital projects.

THEREFORE, be it hereby resolved, the City of the City Clerk to transfer funds in the amount year.	
It was moved by Councilperson, that the foregoing Resolution be a	_, seconded by Councilpersor adopted.
Passed by the City of Riverside City Council an 2019.	nd approved this 1st day of July
Roll Call: Schneider, Redlinger, Sexton, Rodgers	s, McGuire
Ayes:	
Nays:	
Signed:Allen Schneider, Mayor	Date
Attest: Becky LaRoche, City Clerk	Date

CITY OF RIVERSIDE MTD TREASURERS REPORT AS OF: JUNE 30TH, 2019 M-T-D CASH BASIS NET CHANGE NET CHANGE EXPENSES BALANCE 61,042.89 1,615,107.46 0.00 245.04 1,615,352.50 19,860.20 237,446.86 0.00 0.00 0.00 225,150.15 0.00 225,150.15 0.00 0.00 225,150.15 0.00 225,150.15 0.00 0.00 225,150.15 0.00 228,850.00 0.00 0.00 340,605.18 0.00 218,850.00 0.00 0.00 218,850.00 88,393.57 (78,653.64) 0.00 0.00 0.00 719,492.41 24,205.15 176,984.73 0.00 0.00 0.00 176,984.73 1,874.25 9,223.09 0.00 0.00 0.00 4,286.78 211,004.47 3,468,493.02 0.00 245.04 3,468,738.06
PAGE NET CHANGE ACCRUAL E LIABILITIES CASH BAI 245.04 1,615.3 0.00 225,1 0.00 340,6 0.00 340,6 0.00 719,4 0.00 176,9 0.00 176,9 0.00 4,2
PAGE ACCRUAL E CASH BAI 1,615.3 4 1,615.3 0 237.4 0 340.6 0 218.6 0 719.4 0 176.9 0 4.2
PAGE: 1 ACCRUAL ENDING CASH BALANCE 1,615,352.50 237,446.86 225,150.15 0.00 340,605.18 218,850.00 719,492.41 176,984.73 9,223.09 4,286.78

RESOLUTION #070119-05

RESOLUTION APPROVING THE TRANSFER OF FUNDS FOR THE 2019-2020 BUDGET YEAR

WHEREAS, the City of Riverside exercises the right to transfer funds per the certified budget for Fiscal Year 2019-2020.

- 1. Transfer \$765,000 from the General Fund to the Capital Projects Fund for capital improvement projects, per the certified budget.
- 2. Transfer \$57,000 from the Road Use Fund to the Capital Projects Fund, for capital projects, per the certified budget.
- 3. Transfer \$350,000 from Water Fund to Capital Projects Fund, for capital projects per certified budget.

s e
n
′ ,
•

\$ 2,733,900.00	678,900.00	S	7	\$2,733,900.00	\$ 18,900.00	STORM SEWER
	500	<u>α</u> 3	4	`	\$ 210,000.00	LOT SALES
	150	70	4		\$ 350,000.00	WATER
	195,000.00	SAFE WALK \$	S	1	\$ 57,000.00	ROAD USE
	745,000.00	ASH/TUPELO \$	3	1 2 1	7	GENERAL FUND
	215,000.00	HWY:22 \$	8 7	5	\$ 63,000.00	LOST
	250,000.00	NORTH GROWTH \$	2		\$ 1,270,000.00	CASINO
	8	CAPITAL PROJECTS:			ANSFER IN:	CAPITAL PROJECTS TRANSFER IN:
\$ (4,980,110.00) \$		(2,794,000.00)	\$	\$3,004,400.00	\$ 4,769,710.00	TOTAL FY18-19
-						
ۍ.		(18,500.00) CAP, PROJECTS	\$		\$ 18,500.00	680-STORM WATER
\$ (24,200.00)					÷,200.00	טיס ביואטיובר
					\$ 24 200 00	670-I ANDEILI
\$ (397,274.00) \$					\$ 397,274.00	610-SEWER
\$ (433,350.00)	CAP. PROJECTS	(350,000.00)	\$		\$ 783,350.00	600- WATER
\$ (2.733.900.00)			CP LIST	\$ 2,733,900.00		301-CAP. PROJECTS
\$ (228,500.00)			CASINO FONDS	÷ ,20,500.00		TOO DEED OFFICE
			CACINIO FI INIDO	¢ 779 E00 00		200- DERT SERVICE
	DEBT SERVICE	(228,500.00)	Ş			
\$ (201,500.00)	CAP. PROJECTS	(1,270,000.00)	\$		\$ 1,700,000.00	145-CASINO
	CAP. PROJECTS	(63,000.00)	\$			
	GEN. FUND	(42,000.00)	\$		\$ 105,000.00	121- LOST
	7.		•			
\$ (63,000.00) \$	CAP. PROJECTS	(57,000.00)	\$		\$ 120,000.00	110-ROAD USE
\$ (898,386.00)	OJECTS	(765,000.00)		\$ 42,000.00	\$ 1,621,386.00	001-GENERAL
EXPENSES	OUTTO	TRANS. OUT 0	IN FROM T	TRANS. IN	REVENUES	FUND

CITY OF RIVERSID: 19-20 BUDGET SUMNTARY