# CITY OF RIVERSIDE PLANNING & ZONING COMMISSION AGENDA RIVERSIDE RIVERBOAT ROOM 60 GREENE ST RIVERSIDE, IOWA 52327

Tuesday, April 29, 2025 @ 5:00 PM

NOTICE TO THE PUBLIC: This is a meeting of the Planning & Zoning Commission to conduct the regular business of the city. Every item on the agenda is an item of discussion and action if needed.

- 1. Call meeting to order
- 2. Roll Call
- 3. Approval of Agenda
- 4. Resubmission of Site Plan Lombard RV Campground Commercial Drive
- 5. Motion to Adjourn

THE CONTRACTOR SHALL NOTIFY IOWA ONE CALL AT 811 OR 800/292-8989 NO LESS THAN 48 HRS. IN ADVANCE OF ANY DIGGING OR EXCAVATION. WHERE PUBLIC UTILITY FIXTURES ARE SHOWN AS EXISTING ON THE PLANS OR ENCOUNTERED WITHIN THE CONSTRUCTION AREA, IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO NOTIFY THE

OWNERS OF THOSE UTILITIES PRIOR TO THE BEGINNING OF ANY CONSTRUCTION. THE CONTRACTOR SHALL AFFORD ACCESS TO THESE FACILITIES FOR NECESSARY MODIFICATION OF SERVICES. UNDERGROUND FACILITIES, STRUCTURES AND UTILITIES HAVE BEEN PLOTTED FROM AVAILABLE

SURVEYS AND RECORDS, AND THEREFORE THEIR LOCATIONS MUST BE CONSIDERED APPROXIMATE ONLY. IT IS POSSIBLE THERE MAY BE OTHERS. THE EXISTENCE OF WHICH IS PRESENTLY NOT KNOWN OR SHOWN, IT IS THE CONTRACTOR'S RESPONSIBILITY TO DETERMINE THEIR EXISTENCE AND EXACT

LOCATION AND TO AVOID DAMAGE THERETO. NO CLAIMS FOR ADDITIONAL COMPENSATION WILL BE

ALLOWED TO THE CONTRACTOR FOR ANY INTERFERENCE OR DELAY CAUSED BY SUCH WORK.


SITE PLAN LOT 3B, EASTSIDE COMMERCIAL SITE


RIVERSIDE, IA 52327

MMS CONSULTANTS INC. 1917 S. GILBERT STREET 3127 130TH STREET

IOWA CITY, IA 52240

RIVERSIDE, WASHINGTON COUNTY, IOWA





### **LOCATION MAP**

RECORDS OF WASHINGTON COUNTY, IOWA. UNDERLYING ZONING: C-3 AVENUE OF THE SAINTS COMMERCIAL DISTRICT OVERALL SITE LAYOUT AND DIMENSION PLAN OVERALL SITE GRADING,

**EROSION CONTROL AND SWPPP** MINIMUM LOT DEPTH: 100 FT DETAILED SITE GRADING PLAN-FRONT YARD SETBACK: 25 FT NORTH HALF REAR YARD SETBACK: 20 FT FLOOR AREA RATIO: ---DETAILED SITE GRADING PLAN-

SOUTH HALF SITE SANITARY SEWER PLAN SITE WATER PLAN PROVIDED PARKING:
OUTDOOR SPACES = 12 SPACES SITE ELECTRICAL PLAN GENERAL NOTES AND DETAILS

KEYNOTES

NUMBER KEYNOTE

PHASE I SHALL CONSIST OF ALL UNDERGROUND UTILITIES, THE DRIVE AISLE, CAR PARKING, THE PROPOSED BUILDING, THE DUMPSTER ENCLOSURE, AND EXTERIOR RV PARKING.

PHASE II SHALL CONSIST OF THE INTERIOR RV PARKING. PHASE II SHALL BE COMPLETED BY JULY 1, 2026.

SITE LANDSCAPE PLAN

LOT 3B, EASTSIDE COMMERCIAL SITE, RIVERSIDE, IOWA, ACCORDING TO THE PLAT THEREOF RECORDED IN BOOK 23, PAGE 0241, PLAT

DEVELOPMENT CONSISTS OF A 35 SPACE RV CAMP GROUND SETBACK REQUIREMENTS FOR C-3: MINIMUM LOT AREA: 5,000 SF

INTERIOR SIDE YARD SETBACK: 10 FT MAXIMUM HEIGHT OF PRINCIPAL BUILDING: 75 FT

PARKING REQUIRED: 1 SPACE PER 300 SF OF FLOOR AREA, 880 SF FLOOR AREA = 3 SPACES REQUIRED

= 12 SPACES (2 ADA) TOTAL SPACES RV SPACES PROVIDED = 35 SPACES SITE AREA 123,327 SF (100%) (2.83 AC) BUILDINGS AREA 880 SF (0.7%) PAVING AREA 56,792 SF (46.1%) GREEN SPACE 65,655 SF (53.2%)

INSTALL DRIVE/RV STALLS WITH NO CURB PER DETAIL ON SHEET C500 (THICKNESS AND MATERIAL AS NOTED)

INSTALL 6' TALL PRIVACY FENCE —— // —— // ——

INSTALL PARKING STALLS WITH CURB PER DETAIL ON SHEET

INSTALL ADA PARKING, SYMBOL, BOLLARD W/ SIGNAGE

INSTALL 4" WIDE PAVEMENT MARKINGS (TYP.)

TRANSITION FROM 6" CURB TO NO CURB

C500 (THICKNESS AND MATERIAL AS NOTED)

INSTALL 6" CURB

REMOVE EXISTING TREELINE

APPROXIMATE SIGN LOCATION

APPROXIMATE LIGHT LOCATION

INSTALL DUMPSTER ENCLOSURE

THE DEVELOPED LOT IS LOCATED WITHIN FEMA ZONE X, AN AREA OF MINIMAL FLOOD HAZARD, AND IS LOCATED ABOVE THE 500 YEAR FLOOD EVENT ELEVATION

PAVING LEGEND - PROPOSED 4" PCC SIDEWALK (601 SF) - PROPOSED 5" PCC ON 4" GRANULAR BASE (2,552 SF) - PROPOSED 5" PCC ON 4" GRANULAR BASE (32,217 SF) - PROPOSED 6" PCC ON 4" GRANULAR BASE (22,182 SF)

> \*SIZE OF PATTERN MAY VARY BASED ON SCALE OF SHEET. \*TOTALS LISTED ARE CALCULATED FOR THE ENTIRE SITE AREA

AND DIMENSION PLAN

CIVIL ENGINEERS LAND PLANNERS LAND SURVEYORS

1917 S. GILBERT ST. IOWA CITY, IOWA 52240

(319) 351-8282

LANDSCAPE ARCHITECTS

www.mmsconsultants.net

**ENVIRONMENTAL SPECIALISTS** 

05/30/2023 PER CITY REVIEW - HEH

06/15/2023 PER CITY COMMENTS - ADP

04/08/2025 REVISE PAVEMENT PER CLIENT - HEH

04/18/2025 PER CITY REVIEW - HEH

STANDARD LEGEND AND NOTES — - - - — — EXISTING RIGHT—OF—WAY LINES — – CENTER LINES — – EXISTING CENTER LINES

C161

 CURB INLET EXISTING SANITARY SEWER PROPOSED SANITARY SEWER - EXISTING STORM SEWER - PROPOSED STORM SEWER WATER LINES - TELEPHONE LINES GAS LINES

· — \_ / / - - - EXISTING GROUND

I hereby certify that this engineering document was prepared by me or under my direct supervision and that am a duly licensed Professional Engineer under the laws of the State of Iowa. Professional Engineer under the law AMELON

LOT 3B EASTSIDE COMMERCIAL SITE RIVERSIDE

WASHINGTON

COUNTY

IOWA

MMS CONSULTANTS, INC. 05-10-2023

11138-003

25' DRAINAGE AND UTILITY EASEMENT 10' SIDE SETBACK

S89°38'00"E 299.45'

RONALD J SWEETING

ZONING: M-1

─ - LOT LINES, INTERNAL – LOT LINES, PLATTED OR BY DEED — — — — — — PROPOSED EASEMENT LINES - - EXISTING EASEMENT LINES - RECORDED DIMENSIONS CURVE SEGMENT NUMBER -EXIST-- POWER POLE W/DROP - POWER POLE W/TRANS POWER POLE W/LIGHT - LIGHT POLE SANITARY MANHOLE FIRE HYDRANT WATER VALVE - DRAINAGE MANHOLE

> - - CONTOUR LINES (1' INTERVAL) - EXISTING DECIDUOUS TREE & SHRUB

- EXISTING EVERGREEN TREES & SHRUBS

THE ACTUAL SIZE AND LOCATION OF ALL PROPOSED FACILITIES SHALL BE VERIFIED WITH CONSTRUCTION DOCUMENTS, WHICH ARE TO BE PREPARED AND SUBMITTED SUBSEQUENT TO THE

CIVIL ENGINEERS

LAND PLANNERS

LAND SURVEYORS

1917 S. GILBERT ST

(319) 351-8282

IOWA CITY, IOWA 52240

www.mmsconsultants.net

LANDSCAPE ARCHITECTS

**ENVIRONMENTAL SPECIALISTS** 

05/30/2023 PER CITY REVIEW - HEH

04/08/2025 REVISE PAVEMENT PER CLIENT - HEH

04/18/2025 PER CITY REVIEW - HEH

06/15/2023 PER CITY COMMENTS - ADP

## SITE PLAN LOT 3B, EASTSIDE COMMERCIAL SITE RIVERSIDE, WASHINGTON COUNTY, IOWA

MMS CONSULTANTS INC. LOMBARD, MIKE IOWA CITY, IA 52240

3127 130TH STREET RIVERSIDE, IA 52327

### STABILIZATION SEEDING STABILIZATION SEEDING SHALL BE IN ACCORDANCE WITH SUDAS SECTION 9010.2.02 SEED MIXTURES AND SEEDING DATES. TABLE 9010.06: TYPE 4 SEED MIXTURE APPLICATION RATE lb/acre SPRING - MARCH 1 - MAY 20 ANNUAL RYEGRASS **GRAPHIC SCALE IN FEET** SUMMER - MAY 21 - AUGUST 14 ANNUAL RYEGRASS FALL - AUGUST 15 - SEPTEMBER 30

ANNUAL RYEGRASS

\* ENGINEER MAY DELETE FOR PREVIOUSLY ESTABLISHED URBAN AREAS.

FERTILIZER SHALL BE APPLIED AT A RATE OF 300 LBS PER ACRE USING CHEMICALLY

COMBINED COMMERCIAL 13-13-13 FERTILIZER (SUDAS SECTION 9010.2.03 A.2)

GRAIN RYE

EROSION CONTROL LEGEND

SILT FENCE/FILTER SOCK ----- LIMITS OF DISTURBED AREA TEMPORARY ROCK CONSTRUCTION ENTRANCE/EXIT

TEMPORARY PARKING AND STORAGE CONCRETE TRUCK/EQUIPMENT WASHOUT

40

95

PORTABLE RESTROOM

FILTER SOCK INLET PROTECTION

DOCUMENT LOCATION (PERMITS, SWPPP, INSPECTION FORMS, ETC.) FILTER SOCK BEHIND CURB AT CURB RAMP

DIRECTION OF OVERLAND FLOW DUMPSTER FOR CONSTRUCTION WASTE

PERIMETER SILT FENCE

RIP RAP OUTLET PROTECTION OTHER MEASURE: \_

TEMPORARY SOIL STOCKPILE AREA

OTHER MEASURE: \_ OTHER MEASURE:

THE ABOVE LISTED ITEMS ARE SHOWN IN THEIR RECOMMENDED LOCATIONS. IF A CONTROL MEASURE IS ADDED OR MOVED TO A MORE SUITABLE LOCATION, INDICATE THE REVISION ON THIS SHEET. THE BLANKS LEFT FOR OTHER MEASURES SHOULD BE USED IF AN ITEM NOT SHOWN ABOVE IS MPLEMENTED ON SITE, ADDITIONAL PRACTICES FOR EROSION PREVENTION AND SEDIMENT CONTROL CAN BE FOUND IN APPENDIX D OF THE SWPPP.

## THE CONTRACTOR SHALL NOTIFY IOWA ONE CALL AT 811 OR 800/292-8989 NO LESS THAN 48 HRS. IN ADVANCE

WHERE PUBLIC UTILITY FIXTURES ARE SHOWN AS EXISTING ON THE PLANS OR ENCOUNTERED WITHIN THE CONSTRUCTION AREA, IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO NOTIFY THE OWNERS OF THOSE UTILITIES PRIOR TO THE BEGINNING OF ANY CONSTRUCTION. THE CONTRACTOR SHALL AFFORD ACCESS TO THESE FACILITIES FOR NECESSARY MODIFICATION OF SERVICES. UNDERGROUND FACILITIES, STRUCTURES AND UTILITIES HAVE BEEN PLOTTED FROM AVAILABLE SURVEYS AND RECORDS, AND THEREFORE THEIR LOCATIONS MUST BE CONSIDERED APPROXIMATE ONLY. IT IS POSSIBLE THERE MAY BE OTHERS. THE EXISTENCE OF WHICH IS PRESENTLY NOT KNOWN OR SHOWN. IT IS THE CONTRACTOR'S RESPONSIBILITY TO DETERMINE THEIR EXISTENCE AND EXAC' LOCATION AND TO AVOID DAMAGE THERETO. NO CLAIMS FOR ADDITIONAL COMPENSATION WILL BE LLOWED TO THE CONTRACTOR FOR ANY INTERFERENCE OR DELAY CAUSED BY SUCH WORK

STANDARD LEGEND AND NOTES

- — — — — — PROPOSED EASEMENT LINES

---- - RIGHT-OF-WAY LINES

22-1

-EXIST-

- CONGRESSIONAL SECTION LINES

— – CENTER LINES

- - EXISTING RIGHT-OF-WAY LINES

- EXISTING EASEMENT LINES

- LOT LINES PLATTED OR BY DEED

- EXISTING CENTER LINES - - LOT LINES, INTERNAL

- RECORDED DIMENSIONS

- POWER POLE W/DROP POWER POLE W/TRANS

- POWER POLE W/LIGHT

- SANITARY MANHOLE - FIRE HYDRANT

EXISTING SANITARY SEWER PROPOSED SANITARY SEWER

- EXISTING STORM SEWER

PROPOSED STORM SEWER

- CONTOUR LINES (1' INTERVAL)

- EXISTING DECIDUOUS TREE & SHRUB

- EXISTING EVERGREEN TREES & SHRUBS

LIGHT POLE

- WATER VALVE - DRAINAGE MANHOLE

CURB INLET

· WATER LINES

- — \_ \_ \_ - EXISTING GROUND - EXISTING TREE LINE

APPROVAL OF THIS DOCUMENT.

SHALL BE VERIFIED WITH CONSTRUCTION DOCUMENTS, WHICH

ARE TO BE PREPARED AND SUBMITTED SUBSEQUENT TO THE

OVERALL SITE LAYOUT AND

**EROSION CONTROL AND SWPPP** 

DETAILED SITE GRADING PLAN-

DETAILED SITE GRADING PLAN-

**GENERAL NOTES AND DETAILS** 

SITE SANITARY SEWER PLAN

OVERALL SITE GRADING,

DIMENSION PLAN

NORTH HALF

SOUTH HALF

C500

SITE WATER PLAN

SITE ELECTRICAL PLAN

SITE LANDSCAPE PLAN

· ELECTRICAL LINES

TELEPHONE LINES GAS LINES

- CURVE SEGMENT NUMBER

OF URBAN AREAS, INCLUDING ANY AREAS PREVIOUSLY MAINTAINED AS A LAWN. THE APPLICATION RATE SHALL BE 4 POUNDS PER 1,000 SQUARE

BLUFGRASS, KENTUCKY

### GRADING AND EROSION CONTROL NOTES

TOTAL SITE AREA: 2.83 ACRES
TOTAL AREA TO BE DISTURBED: 2.83 ACRES

EROSION CONTROL MEASURES SHOWN SHALL BE USED DURING FILL ACTIVITIES. EROSION CONTROL MEASURES SHALL BE REEVALUATED AND MODIFIED, IF NECESSARY, AT THE TIME OF SITE DEVELOPMENT.


TYPE AND LOCATION OF SAID MEASURE ON THIS PLAN. CONTRACTOR SHALL INSTALL A ROCK ENTRANCE AND PERFORM

FOLLOWING INSTALLATION OF PERIMETER SILT FENCE AND TEMPORARY CONSTRUCTION ENTRANCE THE CONTRACTOR SHALL CONTACT THE CITY INSPECTOR TO SCHEDULE A SITE INSPECTION PRIOR TO ANY SOIL

THE CONTRACTOR SHALL FOLLOW THE NPDES PERMIT, SWPPP, AND THE CITY CSR REGULATIONS.

EROSION CONTROL MEASURES, INCLUDING, BUT NOT CONSTRUCTED IN ACCORDANCE WITH SECTION 9040

## COMPACTED NATIVE



INSTALLATION

- PROJECTIONS FOR FASTENING WIRE TO THEM. SILT FENCE FABRIC SHALL CONFORM TO I.D.O.T. STANDARD MINIMUM OF 24" AND A MAXIMUM OF 36" HIGH WHEN
- THE FILTER FABRIC SHALL BE PURCHASED IN A CONTINUOUS ROLL CUT TO THE LENGTH OF THE FENCE TO AVOID THE USE OF JOINTS. WHEN JOINTS ARE NECESSARY, THE FILTER CLOTH SHALL BE SPLICED TOGETHER ONLY AT A SUPPORT POST, WITH A MINIMUM 6" OVERLAP, AND SECURELY SEALED.
- AND DRIVEN SECURELY INTO THE GROUND ALONG THE FENCE ALIGNMENT. POSTS SHALL BE DRIVEN INTO THE GROUND A
- BY 12" DEEP ALONG THE UPSLOPE SIDE OF THE POSTS. 6. FILTER FABRIC SHALL BE STAPLED OR WIRED TO THE POSTS SUCH THAT THE FABRIC EXTENDS INTO THE TRENCH AS
- MATERIAL AND THOROUGHLY COMPACTED.
- AREAS THE FABRIC SHALL BE REPLACED PROMPTLY. STORM EVENT. THEY MUST BE REMOVED WHEN THE DEPOSITS REACH APPROXIMATELY ONE-HALF THE HEIGHT OF THE FENCE. SILTS REMOVED SHALL BE PLACED IN A PROTECTED PLACE THAT WILL PREVENT THEIR ESCAPE FROM THE
- CONSTRUCTION SITE. 4. ANY SEDIMENT DEPOSITS REMAINING IN PLACE AFTER THE CONFORM WITH THE EXISTING GRADE, PREPARED AND
- NEEDED AS DIRECTED BY THE POLLUTION PREVENTION PLAN.

### PERMANENT SEEDING OF URBAN AREAS

FEET (2 kg per 100 m².)


RYEGRASS, PERENNIAL (FINELEAF VARIETY) FESCUE, CREEPING RED

ADDITIONAL EROSION AND SEDIMENT CONTROL MEASURES THAT COULD BE USED ON SITE, IF NEEDED, CAN BE FOUND IN APPENDIX D OF THE STORM WATER POLLUTION PREVENTION PLAN (SWPPP) BINDER PREPARED FOR THE SITE. IF ADDITIONAL MEASURES ARE USED, INDICATE THE

THE EROSION CONTROL CONTRACTOR SHALL INSTALL FILTER SOCKS OR OTHER APPROVED FORM OF INLET PROTECTION AT EACH STREET INTAKE ADJACENT TO THE SITE.

LIMITED TO, TEMPORARY ROCK CONSTRUCTION ENTRANCE, CONCRETE WASHOUT AND TEMPORARY PARKING ARE STORAGE AREAS, SHALL BE SUDAS STANDARD SPECIFICATIONS.

### SILT FENCE DETAIL



POSTS SHALL BE 1.33 POUNDS PER LINEAL FOOT STEEL WITH A MINIMUM LENGTH OF 5 FEET. STEEL POSTS SHALL HAVE

- SPECIFICATION SECTION 4196.01.A. SILT FENCING SHALL BE A
- 4. POSTS SHALL BE SPACED A MAXIMUM OF 8 FEET APART
- MINIMUM OF 28". 5. A TRENCH SHALL BE EXCAVATED APPROXIMATELY 4" WIDE
- SHOWN ABOVE. THE FABRIC SHALL BE FASTENED A MINIMUM OF THREE PLACES ON EACH POST. THE TRENCH SHALL BE BACK FILLED WITH EXCAVATED
- MAINTENANCE 1. SILT FENCES SHALL BE INSPECTED WEEKLY AND AFTER EACH RAIN-FALL EVENT PRODUCING RUN-OFF. DURING PERIODS OF PROLONGED RAIN INSPECTIONS SHALL BE AT LEAST DAILY. ANY REPAIRS NEEDED TO MAINTAIN THE SILT FENCE'S EFFECTIVENESS SHALL BE MADE IMMEDIATELY. 2. SHOULD THE FABRIC ON A SILT FENCE DECOMPOSE OR BECOME INEFFECTIVE PRIOR TO STABILIZING THE UPSLOPE
- 3. SEDIMENT DEPOSITS SHOULD BE REMOVED AFTER EACH
- SILT FENCE IS NO LONGER NEEDED SHALL BE DRESSED TO 5. SILT FENCE SHALL REMAIN IN PLACE UNTIL IT IS NO LONGER
- GENERALLY SILT FENCES SHALL REMAIN UNTIL THE UPSLOPE AREAS ARE STABILIZED WITH AN ESTABLISHED GRASS COVER AS A MINIMUM.

LOT 3B EASTSIDE COMMERCIAL RIVERSIDE

WASHINGTON

COUNTY

OVERALL SITE GRADING,

MMS CONSULTANTS, INC. 05-10-2023


11138-003

634 — 633 — 632 — 632 — 630 — E — ©


RONALD J SWEETING ZONING: M-1


------629 -----


-----



# SITE PLAN LOT 3B, EASTSIDE COMMERCIAL SITE RIVERSIDE, WASHINGTON COUNTY, IOWA







THE CONTRACTOR SHALL NOTIFY IOWA ONE CALL AT 811 OR 800/292-8989

OF ANY DIGGING OR EXCAVATION.

WHERE PUBLIC UTILITY FIXTURES ARE SHOWN AS EXISTING ON THE PLANS OR ENCOUNTERED WITHIN THE CONSTRUCTION AREA, IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO NOTIFY THE OWNERS OF THOSE UTILITIES PRIOR TO THE BEGINNING OF ANY CONSTRUCTION. THE CONTRACTOR SHALL AFFORD ACCESS TO THESE FACILITIES FOR NECESSARY MODIFICATION OF SERVICES. UNDERGROUND FACILITIES, STRUCTURES AND UTILITIES HAVE BEEN PLOTTED FROM AVAILABLE SURVEYS AND RECORDS, AND THEREFORE THEIR LOCATIONS MUST BE CONSIDERED APPROXIMATE ONLY, IT IS POSSIBLE THERE MAY BE OTHERS. THE EXISTENCE OF WHICH IS PRESENTLY NOT KNOWN OR SHOWN. IT IS THE CONTRACTOR'S RESPONSIBILITY TO DETERMINE THEIR EXISTENCE AND EXACT LOCATION AND TO AVOID DAMAGE THERETO. NO CLAIMS FOR ADDITIONAL COMPENSATION WILL BE

NOTE: ALL PROPOSED SANITARY SEWER IS PRIVATE UNLESS OTHERWISE NOTED.

ALL PROPOSED WATERMAIN IS PRIVATE.

WYE CONNECTION NOTES: SEWER SERVICES TAPPED INTO EXISTING PVC SANITARY SEWER SHALL USE CB STYLE SEWER SADDLE WITH STAINLESS STEEL CLAMPS.

OVERALL SITE LAYOUT AND DIMENSION PLAN OVERALL SITE GRADING, **EROSION CONTROL AND SWPPP** DETAILED SITE GRADING PLAN-NORTH HALF **DETAILED SITE GRADING PLAN-**SOUTH HALF SITE SANITARY SEWER PLAN SITE WATER PLAN

C500

L100

SITE ELECTRICAL PLAN

SITE LANDSCAPE PLAN

GENERAL NOTES AND DETAILS

SITE SANITARY **SEWER PLAN** 

LOT 3B EASTSIDE COMMERCIAL SITE

RIVERSIDE WASHINGTON COUNTY IOWA

MMS CONSULTANTS, INC					
ate:		05-10-2023			
esigned by:	BJC	Field Book No:			
rawn by:	ADP	Scale: 1"=20			
hecked by:	RLA	Sheet No:			
roject No:		C160			

2.83 AC

CIVIL ENGINEERS LAND PLANNERS LAND SURVEYORS LANDSCAPE ARCHITECTS **ENVIRONMENTAL SPECIALISTS** 1917 S. GILBERT ST IOWA CITY, IOWA 52240 (319) 351-8282


www.mmsconsultants.net


05/30/2023 PER CITY REVIEW - HEH 06/15/2023 PER CITY COMMENTS - ADP 04/08/2025 REVISE PAVEMENT PER CLIENT - HEH 04/18/2025 PER CITY REVIEW - HEH


## SITE PLAN LOT 3B, EASTSIDE COMMERCIAL SITE

RIVERSIDE, WASHINGTON COUNTY, IOWA

3127 130TH STREET







THE CONTRACTOR SHALL NOTIFY IOWA ONE CALL AT 811 OR 800/292-8989 OF ANY DIGGING OR EXCAVATION.

WHERE PUBLIC UTILITY FIXTURES ARE SHOWN AS EXISTING ON THE PLANS OR ENCOUNTERED WITHIN THE CONSTRUCTION AREA, IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO NOTIFY THE OWNERS OF THOSE UTILITIES PRIOR TO THE BEGINNING OF ANY CONSTRUCTION. THE CONTRACTOR SHALL AFFORD ACCESS TO THESE FACILITIES FOR NECESSARY MODIFICATION OF SERVICES. UNDERGROUND FACILITIES, STRUCTURES AND UTILITIES HAVE BEEN PLOTTED FROM AVAILABLE SURVEYS AND RECORDS, AND THEREFORE THEIR LOCATIONS MUST BE CONSIDERED APPROXIMATE ONLY, IT IS POSSIBLE THERE MAY BE OTHERS. THE EXISTENCE OF WHICH IS PRESENTLY NOT KNOWN OR SHOWN. IT IS THE CONTRACTOR'S RESPONSIBILITY TO DETERMINE THEIR EXISTENCE AND EXACT LOCATION AND TO AVOID DAMAGE THERETO. NO CLAIMS FOR ADDITIONAL COMPENSATION WILL BE

NOTE: ALL PROPOSED SANITARY SEWER IS PRIVATE UNLESS OTHERWISE NOTED.

ALL PROPOSED WATERMAIN IS PRIVATE.

OVERALL SITE LAYOUT AND DIMENSION PLAN OVERALL SITE GRADING, **EROSION CONTROL AND SWPPP** DETAILED SITE GRADING PLAN-NORTH HALF DETAILED SITE GRADING PLAN-SOUTH HALF SITE SANITARY SEWER PLAN SITE WATER PLAN SITE ELECTRICAL PLAN

GENERAL NOTES AND DETAILS

SITE LANDSCAPE PLAN

CIVIL ENGINEERS

2.83 AC

LAND PLANNERS LAND SURVEYORS LANDSCAPE ARCHITECTS **ENVIRONMENTAL SPECIALISTS** 1917 S. GILBERT ST IOWA CITY, IOWA 52240 (319) 351-8282 www.mmsconsultants.net

05/30/2023 PER CITY REVIEW - HEH 06/15/2023 PER CITY COMMENTS - ADP 04/08/2025 REVISE PAVEMENT PER CLIENT - HEH 04/18/2025 PER CITY REVIEW - HEH

SITE WATER PLAN


LOT 3B EASTSIDE COMMERCIAL SITE **RIVERSIDE** WASHINGTON COUNTY


IOWA


MMS CONSULTANTS, INC. 05-10-2023 Designed by:

11138-003

## SITE PLAN LOT 3B, EASTSIDE COMMERCIAL SITE RIVERSIDE, WASHINGTON COUNTY, IOWA







- EXISTING DECIDUOUS TREE & SHRUE

- EXISTING EVERGREEN TREES & SHRUBS

THE ACTUAL SIZE AND LOCATION OF ALL PROPOSED FACILITIES SHALL BE VERIFIED WITH CONSTRUCTION DOCUMENTS, WHICH ARE TO BE PREPARED AND SUBMITTED SUBSEQUENT TO THE APPROVAL OF THIS DOCUMENT.

THE CONTRACTOR SHALL NOTIFY IOWA ONE CALL AT 811 OR 800/292-8989

OF ANY DIGGING OR EXCAVATION.

WHERE PUBLIC UTILITY FIXTURES ARE SHOWN AS EXISTING ON THE PLANS OR ENCOUNTERED WITHIN THE CONSTRUCTION AREA, IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO NOTIFY THE OWNERS OF THOSE UTILITIES PRIOR TO THE BEGINNING OF ANY CONSTRUCTION. THE CONTRACTOR SHALL AFFORD ACCESS TO THESE FACILITIES FOR NECESSARY MODIFICATION OF SERVICES. UNDERGROUND FACILITIES, STRUCTURES AND UTILITIES HAVE BEEN PLOTTED FROM AVAILABLE SURVEYS AND RECORDS, AND THEREFORE THEIR LOCATIONS MUST BE CONSIDERED APPROXIMATE ONLY. IT IS POSSIBLE THERE MAY BE OTHERS, THE EXISTENCE OF WHICH IS PRESENTLY NOT KNOWN OR SHOWN. IT IS THE CONTRACTOR'S RESPONSIBILITY TO DETERMINE THEIR EXISTENCE AND EXACT LOCATION AND TO AVOID DAMAGE THERETO. NO CLAIMS FOR ADDITIONAL COMPENSATION WILL BE

> OVERALL SITE LAYOUT AND DIMENSION PLAN OVERALL SITE GRADING, EROSION CONTROL AND SWPPP DETAILED SITE GRADING PLAN-NORTH HALF DETAILED SITE GRADING PLAN-SOUTH HALF SITE SANITARY SEWER PLAN C161 SITE WATER PLAN C162 SITE ELECTRICAL PLAN C500 GENERAL NOTES AND DETAILS SITE LANDSCAPE PLAN

KEYNOTES NUMBER KEYNOTE INSTALL ELECTRIC BOX FOR RV HOOKUP APPROXIMATE LOCATION FOR INSTALLATION OF TRANSFORMER PAD SITE ELECTRICAL

1917 S. GILBERT ST.

(319) 351-8282

IOWA CITY, IOWA 52240

www.mmsconsultants.net

05/30/2023 PER CITY REVIEW - HEH 06/15/2023 PER CITY COMMENTS - ADP

04/08/2025 REVISE PAVEMENT PER CLIENT - HEH

04/18/2025 PER CITY REVIEW - HEH

LOT 3B EASTSIDE COMMERCIAL SITE RIVERSIDE WASHINGTON COUNTY

IOWA

MMS CONSULTANTS, INC. 05-10-2023

11138-003

**CIVIL ENGINEERS** 

LAND PLANNERS

LAND SURVEYORS

1917 S. GILBERT ST.

(319) 351-8282

IOWA CITY, IOWA 52240

www.mmsconsultants.net

LANDSCAPE ARCHITECTS

**ENVIRONMENTAL SPECIALISTS** 

05/30/2023 PER CITY REVIEW - HEH

06/15/2023 PER CITY COMMENTS - ADP

04/08/2025 REVISE PAVEMENT PER CLIENT - HEH


04/18/2025 PER CITY REVIEW - HEH

- 1) SANITARY SEWER AND WATER MAIN CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE SUDAS STANDARD SPECIFICATIONS. CITY OF RIVERSIDE DESIGN AND CONSTRUCTION STANDARDS AND PROCEDURES SHALL PREVAIL.
- 2) CONTRACTOR SHALL PROVIDE CRUSHED STONE ENCASEMENT BEDDING FOR ALL SANITARY SEWER UNLESS NOTED OTHERWISE ON THE PLANS.
- 3) SANITARY SEWERS TO BE PVC TRUSS PIPE UNLESS NOTED OTHERWISE. SANITARY SEWER SERVICE LINES SHALL BE PVC, SDR 23.5 WITH GASKETED JOINTS. SANITARY SEWER SERVICE LINES SHALL BE 4" DIAMETER UNLESS NOTED OTHERWISE.
- 4) CONTRACTOR TO PROVIDE CLOW "BAND-SEAL" COUPLINGS FOR DISSIMILAR PIPE
- 5) 2" DIAMETER WATER MAIN SHALL BE SDR-21 PVC PIPE. 4" DIAMETER WATER MAIN SHALL BE DR-18 PVC PIPE. ALL WATER MAIN FITTINGS SHALL BE DUCTILE IRON WITH RETAINING GLANDS AND MEGALUGS. ALL FITTINGS FOR WATER MAIN SHALL BE RESTRAINED WITH THRUST BLOCKS. ALL WATER MAINS AND SERVICE LINES SHALL HAVE CLASS P-1 BEDDING PER IOWA DOT STANDARD ROAD PLAN SW-104. FOR ALL WATER LINE VALVES: THE VALVE BOX AND GATE VALVE UNDER AWWA SHOULD BE INCLUDED ALONG WITH A VALVE BOX CENTERING ADAPTOR.
- 6) SANITARY SEWER TRENCHES SHADED ON THE PROFILE VIEW SHALL BE BACKFILLED WITH EITHER OF THE FOLLOWING COMPACTED TO 95% STANDARD PROCTOR DENSITY:
- A. SUITABLE EXCAVATED MATERIAL. IF EXCAVATED MATERIAL IS NOT SUITABLE, THEN B. CRUSHED STONE AS SPECIFIED FOR GRANULAR TRENCH BACKFILL SHALL BE USED.
- 7) GRANULAR TRENCH BACKFILL SHALL BE CLASS A CRUSHED STONE CONFORMING TO I.D.O.T. STANDARD SPECIFICATION 4120.04 WITH 1" MAXIMUM AGGREGATE SIZE. COMPACT TO 95% STANDARD PROCTOR DENSITY.
- 8) ALL SANITARY SEWER SERVICE LINES CROSSING STREET RIGHT-OF-WAY SHALL BE BACKFILLED IN ACCORDANCE WITH THE PRECEDING NOTE.
- 9) WATER MAINS AND SERVICE LINES WITHIN STREET RIGHT OF WAYS OR WITHIN EASEMENTS ADJACENT TO THE STREET RIGHT OF WAYS SHALL BE BACKFILLED WITH EITHER OF THE FOLLOWING COMPACTED TO 95% STANDARD PROCTOR DENSITY:
- A. SUITABLE EXCAVATED MATERIAL. IF EXCAVATED MATERIAL IS NOT SUITABLE, THEN B. CRUSHED STONE AS SPECIFIED FOR GRANULAR TRENCH BACKFILL SHALL BE USED.
- 10) ALL SANITARY SEWER SERVICE LINES SHALL BE EXTENDED
- A. TO THE UTILITY EASEMENT LINE FOR THOSE LOCATIONS WHERE THE LOTS BEING SERVED ARE ON THE OPPOSITE SIDE OF THE STREET FROM THE SEWER MAIN.
- B. TO THE UTILITY EASEMENT LINE FOR THOSE LOCATIONS WHERE THE LOTS BEING SERVED ARE ADJACENT TO THE SEWER MAIN.
- THE FOLLOWING MINIMUM CLEARANCES MUST BE MAINTAINED:
- 11) WATER MAIN SHALL BE LOCATED 10 FEET HORIZONTALLY DISTANT FROM ALL SANITARY SEWER AND STORM SEWER.
- 12) WATER MAIN SHALL NOT PASS THROUGH NOR CONTACT A SEWER OR A SEWER MANHOLE. A MINIMUM HORIZONTAL SEPARATION OF 3 FEET SHALL BE MAINTAINED.
- 13) VERTICAL SEPARATION OF WATER MAINS CROSSING OVER ANY SANITARY SEWER SHOULD BE A MINIMUM OF 18-INCHES, MEASURED OUTSIDE TO OUTSIDE FROM THE CLOSEST EDGE OF EACH PIPE. IF PHYSICAL CONDITIONS PROHIBIT THIS SEPARATION, THE WATER MAIN SHALL NOT BE PLACED CLOSER THAN 6-INCHES ABOVE A SEWER OR 18-INCHES BELOW A SEWER. THE SEPARATION DISTANCE SHALL BE THE MAXIMUM FEASIBLE IN ALL CASES. WHERE THE SEWER CROSSES OVER OR LESS THAN 18 INCHES BELOW A WATER MAIN ONE FULL LENGTH OF SEWER PIPE OF WATER MAIN MATERIAL SHALL BE LOCATED SO BOTH JOINTS ARE AS FAR AS POSSIBLE FROM THE WATER MAIN. THE SEWER AND WATER PIPES MUST BE ADEQUATELY SUPPORTED AND HAVE WATERTIGHT JOINTS. A LOW PERMEABILITY SOIL SHALL BE USED FOR BACKFILL MATERIAL WITHIN 10 FEET OF THE POINT OF CROSSING.
- 14) WHERE THE WATER MAIN CROSSES SEWER, ONE FULL LENGTH OF WATER PIPE SHALL BE LOCATED SO BOTH JOINTS ARE AS FAR AS POSSIBLE FROM THE SEWER. THE WATER AND SEWER PIPES MUST BE ADEQUATELY SUPPORTED AND HAVE WATER TIGHT JOINTS. A LOW PERMEABILITY SOIL SHALL BE USED FOR BACKFILL MATERIAL WITHIN 10-FEET OF THE POINT
- 15) NOMINAL DEPTH OF WATER MAIN = 5.5 FEET TO TOP OF PIPE.
- 16) WATER MAIN SHADED ON PLAN VIEW SHALL BE INSTALLED PRIOR TO PAVING.
- 17) ALL SANITARY SEWER AND SERVICE LINES SHALL BE AIR TESTED TO PASS THE FOLLOWING TEST:
- AIR TESTING A. PERFORM FROM MANHOLE-TO-MANHOLE AFTER BACKFILL.
- B. PLACE PNEUMATIC PLUGS: (1) SEALING LENGTH: EQUAL TO OR GREATER THAN PIPE DIAMETER, (2) CAPABLE OF RESISTING INTERNAL TEST PRESSURE WITHOUT EXTERNAL BRACING OR BLOCKING.
- C. INTRODUCE LOW-PRESSURE AIR INTO SEALED LINE AND ACHIEVE INTERNAL AIR PRESSURE 4 PSIG GREATER THAN MAXIMUM PRESSURE EXERTED BY GROUNDWATER ABOVE PIPE INVERT.
- D. LIMIT INTERNAL PRESSURE IN SEALED LINE BELOW 8 PSIG.
- E. ALLOW 2 MINUTES MINIMUM FOR AIR PRESSURE TO STABILIZE. DISCONNECT LOW-PRESSURE AIR HOSE FROM CONTROL PANEL.
- F. MINIMUM TIME FOR PRESSURE TO DROP FROM 3.5 TO 2.5 PSIG GREATER THAN MAXIMUM PRESSURE EXERTED BY GROUNDWATER ABOVE PIPE INVERT: PIPE DIAMETER, MINIMUM TIME, MINIMUM TIME, LONGER LENGTH,


INCHES	min: s	ft	S
4	3: 46	 597	0.380 L
6	5: 40	398	0.854 L
8	7: 34	298	1.520 L
10	9: 26	239	2.374 L
12	11: 20	199	3.418 L
15	14:10	159	5.342 L
18	17:00	133	7.692 L
21	19:50	114	10.470 L
24	22: 40	99	13.674 L
27	25: 30	88	17.306 L
30	28: 20	80	21.366 L
33	31:10	72	25.852 L
36	34:00	66	30.768 L

- G. IN AREAS WHERE GROUND WATER IS KNOWN TO EXIST, THE HEIGHT OF WATER ABOVE THE TOP OF THE PIPE BEING TESTED, IN FEET, SHALL BE DETERMINED AND THAT HEIGHT DIVIDED BY 2.3 TO ESTABLISH THE PRESSURE THAT WILL BE ADDED TO ALL READINGS ABOVE. ALTERNATIVELY, THE ENGINEER MAY ALLOW THE CONTRACTOR TO MEASURE INFILTRATION INTO THE SEWER BY USING A V-NOTCH WEIR OR
- H. LOCATE, REPAIR AND RETEST LEAKS.
- 18) ALL PVC TRUSS SEWERS SHALL HAVE A DEFLECTION TEST PERFORMED AS FOLLOWS:

- C. NO PIPE SHALL EXCEED A DEFLECTION OF 5%.
- 19) MANHOLE FRAME AND LID TO BE NEENAH R-1642 SELF SEALING OR APPROVED EQUAL.



WHERE PUBLIC OR PRIVATE UTILITY FIXTURES ARE SHOWN AS EXISTING ON THE PLANS, OR ENCOUNTERED WITHIN THE CONSTRUCTION AREA, IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO NOTIFY THE OWNERS OF THOSE UTILITIES PRIOR TO THE BEGINNING OF ANY CONSTRUCTION. THE CONTRACTOR SHALL AFFORD ACCESS TO THOSE FACILITIES FOR NECESSARY MODIFICATION OF SERVICES. UNDERGROUND FACILITIES, STRUCTURES AND UTILITIES HAVE BEEN PLOTTED FROM AVAILABLE SURVEYS AND RECORDS, AND THEREFORE THEIR LOCATIONS MUST BE CONSIDERED APPROXIMATE ONLY. IT IS POSSIBLE THAT THERE MAY BE OTHER FACILITIES IN THE CONSTRUCTION AREA, THE EXISTENCE OF WHICH IS NOT PRESENTLY KNOWN OR SHOWN HEREON. IT IS THE CONTRACTOR'S RESPONSIBILITY TO DETERMINE THEIR EXISTENCE AND EXACT LOCATION, AND TO AVOID DAMAGE THERETO. NO CLAIMS FOR ADDITIONAL COMPENSATION WILL BE ALLOWED TO THE CONTRACTOR FOR ANY INTERFERENCE OR DELAY CAUSED BY SUCH WORK.



THRUST BLOCKS ARE REQUIRED AT PIPING DIRECTION CHANGES, AT DEAD ENDS, AND AT FIRE HYDRANTS. THRUST BLOCKS MAY BE PRECAST MASONRY UNITS, CAST IN PLACE CONCRETE OR TREATED HARDWOOD. CAST-IN-PLACE CONCRETE SHALL NOT BE USED AT FIRE HYDRANTS. POURED-IN-PLACE CONCRETE SHALL BE 2000 P.S.I. MINIMUM STRENGTH, A MINIMUM OF 18 INCHES THICK, AND SHALL BE CAST AGAINST A SOLID, UNDISTURBED EDGE OF TRENCH FOR BEARING. NO BOLTS, JOINTS OR DRAIN HOLES SHALL COME INTO CONTACT WITH THE CONCRETE THRUST BLOCK AND THE PIPE SHALL BE WRAPPED WITH A PLASTIC SHEET AT THE CONCRETE BEARING SURFACES.

### THRUST BLOCK MINIMUM BEARING AREA (IN SQUARE FEET)

PIPE SIZE	DEAD END OR TEE	90° BEND	45° BEND	11-1/4 BEND	22-1/2 BEND
4"	1.4	1.9	1.0	1.0	1.0
6"	2.8	4.0	2.1	1.1	1.0
8"	4.8	6.8	3.7	1.9	1.0
10"	7.3	10.3	5.8	2.8	1.4
12"	10.3	14.5	7.9	4.0	2.0
16"	17.8	25.2	13.6	7.0	3.5
20"	27.5	38.9	21.0	10.7	5.4
24"	39.2	55.5	30.0	15.3	7.7

### YARD HYDRANT DETAIL ACCESSIBLE PARKING SYMBOL

- FLANGE X MECHANICAL JOINT

PROVIDE ADJUSTABLE VALVE BOX.

NOTE: DIAMETER OF MAIN AND SERVICE

- PROPOSED FIRE

OR DOMESTIC

LIVE TAP DETAIL

- EXISTING WATER MAIN

- FULL BODY DUCTILE IRON

TAPPING SLEEVE


CONNECTION

LEVEL

GALVALNIZED

3/4" WATER LINE

IOWA STANDARD ROAD PLAN DETAIL: PM-111 "WPSB"



ACCESSIBLE SIGN DETAIL

2"x2" GALVANIZED

5"x5"x1/2" STEEL

FILLED; DRIVE 2"x2" SQUARE SIGN POST

INTO CONCRETE

1/2" EXPANSION MATERIAL (TYP)

- CONCRETE PAVING

EXPANSION JOINT

TUBING, POWDER COAT BLUE, CONCRETE

SIGN POST

ACCESSIBLE PARKING STATE PERMIT REQUIRED

ACCESSIBLE

ACCESSIBLE PARKING AND RAMP DETAIL

ADA RAMP (TYP. MAX. RUNNING SLOPE 1:12 MAX. CROSS SLOPE 1:50

CONCRETE FILLED
STEEL BOLLARD
SIGN POST, SEE DETAIL

PAVEMENT Q 4" GRANULAR BASE

PAVING CONSTRUCTION NOTES

1) I.D.O.T. CLASS C-3 CONCRETE SHALL BE USED, UNLESS NOTED OTHERWISE.

2) CITY OF RIVERSIDE DESIGN AND CONSTRUCTION STANDARDS AND PROCEDURES

3) PAVEMENT JOINTS SHALL CONFORM TO I.D.O.T. STANDARD ROAD PLANS PV-1

"C" TRANSVERSE CONTRACTION JOINTS SHALL BE USED FOR 7" PCC PAVEMENT.

5" CONCRETE PARKING

4" GRÁNULAR BÁSE

PARKING STALLS ONLY

5) INSTALL "CD" TRANSVERSE CONTRACTION JOINTS FOR 8" PCC PAVEMENT.

**6" CURB DETAIL** 

CURRENT REVISION.

CONCRETE

4) ALL SAWED PAVEMENT JOINTS SHALL BE SEALED.

TYPICAL DRIVE SECTION COMPACT SUBGRADE TO 95% STANDARD PROCTOR FOR A DEPTH OF 12 INCHES

## **GENERAL NOTES** AND DETAILS

LOT 3B EASTSIDE COMMERCIAL SITE

**RIVERSIDE** WASHINGTON COUNTY IOWA

C120	OVERALL SITE LAYOUT AND
	DIMENSION PLAN
C140	OVERALL SITE GRADING,
	EROSION CONTROL AND SWPI
C141	DETAILED SITE GRADING PLAN
	NORTH HALF

**SOUTH HALF** C160 C161

L100

SITE WATER PLAN C162 SITE ELECTRICAL PLAN C500 GENERAL NOTES AND DETAILS

SITE LANDSCAPE PLAN


05-10-2023 Designed by: Field Book No:


Project No:

11138-003

MMS CONSULTANTS, INC. DETAILED SITE GRADING PLAN-SITE SANITARY SEWER PLAN Drawn by: Checked by:

I. AIR TESTING SHALL BE CONSIDERED INCIDENTAL TO SANITARY SEWER CONSTRUCTION. A. DEFLECTION TEST SHALL BE CONDUCTED AFTER THE FINAL BACKFILL HAS BEEN IN PLACE AT LEAST 30 DAYS. B. DEFLECTION TEST TO BE CONDUCTED USING A RIGID BALL OR MANDREL WITH A DIAMETER EQUAL TO 95% OF THE INSIDE DIAMETER OF THE PIPE. NO MECHANICAL PULLING DEVICES ALLOWED. ALL SANITARY MANHOLES SHALL HAVE INTERIOR CHIMNEY SEALS.







THE CONTRACTOR SHALL NOTIFY IOWA ONE CALL AT 811 OR 800/292-8989 NO LESS THAN 48 HRS. IN ADVANCE

WHERE PUBLIC UTILITY FIXTURES ARE SHOWN AS EXISTING ON THE PLANS OR ENCOUNTERED WITHIN THE CONSTRUCTION AREA, IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO NOTIFY THE


OWNERS OF THOSE UTILITIES PRIOR TO THE BEGINNING OF ANY CONSTRUCTION. THE CONTRACTOR SHALL AFFORD ACCESS TO THESE FACILITIES FOR NECESSARY MODIFICATION OF SERVICES.

UNDERGROUND FACILITIES, STRUCTURES AND UTILITIES HAVE BEEN PLOTTED FROM AVAILABLE SURVEYS AND RECORDS, AND THEREFORE THEIR LOCATIONS MUST BE CONSIDERED APPROXIMATE ONLY. IT IS POSSIBLE THERE MAY BE OTHERS, THE EXISTENCE OF WHICH IS PRESENTLY NOT KNOWN OR SHOWN. IT IS THE CONTRACTOR'S RESPONSIBILITY TO DETERMINE THEIR EXISTENCE AND EXACT LOCATION AND TO AVOID DAMAGE THERETO. NO CLAIMS FOR ADDITIONAL COMPENSATION WILL BE ALLOWED TO THE CONTRACTOR FOR ANY INTERFERENCE OR DELAY CAUSED BY SUCH WORK.

OF ANY DIGGING OR EXCAVATION.

# SITE PLAN LOT 3B, EASTSIDE COMMERCIAL SITE RIVERSIDE, WASHINGTON COUNTY, IOWA

PLAT PREPARED BY: OWNER/APPLICANT: LOMBARD, MIKE 1917 S. GILBERT STREET 3127 130TH STREET IOWA CITY, IA 52240



CIVIL ENGINEERS LAND PLANNERS LAND SURVEYORS LANDSCAPE ARCHITECTS **ENVIRONMENTAL SPECIALISTS** 1917 S. GILBERT ST. IOWA CITY, IOWA 52240 (319) 351-8282 www.mmsconsultants.net

05/30/2023 PER CITY REVIEW - HEH 06/15/2023 PER CITY COMMENTS - ADP 04/08/2025 REVISE PAVEMENT PER CLIENT - HEH 04/18/2025 PER CITY REVIEW - HEH

PLANT SCHEDULE

LANDSCAPE REQUIREMENTS

I TREE PER 1,500 SF OF REQUIRED OPEN SPACE
- 30,835 / 1,500 = 20 TREES

I SHRUB PER 1,000 SF OF REQUIRED OPEN SPACE

25% OPEN SPACE REQUIRED

- 123,339 X 0.25 = 30,835 SF

- 30,835 / 1,000 = 30 SHRUBS

	, .,							
	SHADE TREES	CODE	QTY	BOTANICAL NAME	COMMON NAME	INSTALL SIZE	COMMENT	MATURE H. X W.
	•	BN	6	Betula nigra	River Birch	2" Cal.	B¢B	60` x 45`
Ç		LT	2	Liriodendron tulipifera	Tulip Tree	2" Cal.	В¢В	80` x 50`
		QM	1	Quercus macrocarpa	Bur Oak	2" Cal.	В¢В	80` x 80`
£ (		QP	9	Quercus palustris	Pın Oak	2" Cal.	В¢В	60` x 40`
		UM	2	Ulmus x `Morton Glossy` TM	Triumph Elm	2" Cal.	В∉В	60` x 40`
	SHRUBS	CODE	QTY	BOTANICAL NAME	COMMON NAME	INSTALL SIZE	COMMENT	MATURE H. X W.
		C5	10	Cornus sericea `Farrow` TM	Arctic Fire Red Twig Dogwood	24" Ht.	Container	4` x 4`
	EVERGREEN SHRUBS	CODE	QTY	BOTANICAL NAME	COMMON NAME	INSTALL SIZE	COMMENT	MATURE H. X W.
		JS	10	Juniperus squamata `Blue Star`	Blue Star Juniper	I 2" Ht.	Container	3`x4`
	ORNAMENTAL GRASSES	CODE	QTY	BOTANICAL NAME	COMMON NAME	INSTALL SIZE	COMMENT	MATURE H. X W.
	Manual Ma	PV	14	Panicum virgatum `Prairie Fire`	Prairie Fire Switch Grass	24" Ht.	Container	4` x 3`

OVERALL SITE LAYOUT AND DIMENSION PLAN OVERALL SITE GRADING, EROSION CONTROL AND SWPPP DETAILED SITE GRADING PLAN-NORTH HALF DETAILED SITE GRADING PLAN-SOUTH HALF SITE SANITARY SEWER PLAN SITE WATER PLAN SITE ELECTRICAL PLAN GENERAL NOTES AND DETAILS

SITE LANDSCAPE PLAN

C162

L100

LOT 3B EASTSIDE COMMERCIAL SITE

SITE LANDSCAPE

PLAN

RIVERSIDE WASHINGTON COUNTY IOWA

MMS CONSULTANTS, INC. 05-10-2023

11138-003

